

=> d his ful

(FILE 'HOME' ENTERED AT 17:44:30 ON 21 MAR 2006)

FILE 'HCAPLUS' ENTERED AT 17:44:36 ON 21 MAR 2006

E BROWN WILLIAM/AU
L1 130 SEA ABB=ON "BROWN WILLIAM"/AU
E GRIFFIN ANDREW/AU
L2 27 SEA ABB=ON "GRIFFIN ANDREW"/AU
L3 16 SEA ABB=ON L1 AND L2
L4 5 SEA ABB=ON L3 AND ?PIPERAZINYL?
SELECT RN L4 4-5

FILE 'REGISTRY' ENTERED AT 17:45:57 ON 21 MAR 2006

L5 231 SEA ABB=ON (100-52-7/BI OR 1711-02-0/BI OR 77350-52-8/BI OR
98-01-1/BI OR 10040-98-9/BI OR 10200-59-6/BI OR 103-71-9/BI OR
103-72-0/BI OR 103-80-0/BI OR 106-38-7/BI OR 106-95-6/BI OR
1072-85-1/BI OR 108-37-2/BI OR 108-86-1/BI OR 108-94-1/BI OR
109-89-7/BI OR 110-85-0/BI OR 1192-88-7/BI OR 120-92-3/BI OR
122-78-1/BI OR 123-38-6/BI OR 127406-55-7/BI OR 1489-69-6/BI
OR 1939-99-7/BI OR 2043-61-0/BI OR 2719-27-9/BI OR 288309-53-5/
BI OR 331-25-9/BI OR 3350-30-9/BI OR 36865-41-5/BI OR 455-19-6/
BI OR 477191-80-3/BI OR 498-60-2/BI OR 498-62-4/BI OR 502-42-1/
BI OR 502-49-8/BI OR 52178-50-4/BI OR 5292-21-7/BI OR 5470-96-2/
BI OR 57260-71-6/BI OR 58287-77-7/BI OR 619-66-9/BI OR
6482-24-2/BI OR 67-36-7/BI OR 691358-43-7/BI OR 691358-44-8/BI
OR 691358-45-9/BI OR 691358-46-0/BI OR 691358-47-1/BI OR
691358-48-2/BI OR 691358-49-3/BI OR 691358-50-6/BI OR 691358-51
-7/BI OR 691358-56-2/BI OR 691358-62-0/BI OR 691877-61-9/BI OR
691877-62-0/BI OR 691877-63-1/BI OR 691877-64-2/BI OR 691877-65
-3/BI OR 691877-66-4/BI OR 691877-67-5/BI OR 691877-68-6/BI OR
691877-69-7/BI OR 691877-70-0/BI OR 691877-71-1/BI OR 691877-72
-2/BI OR 691877-73-3/BI OR 691877-74-4/BI OR 691877-75-5/BI OR
691877-76-6/BI OR 691877-77-7/BI OR 691877-78-8/BI OR 691877-79
-9/BI OR 691877-80-2/BI OR 691877-81-3/BI OR 691877-82-4/BI OR
691877-83-5/BI OR 691877-84-6/BI OR 691877-85-7/BI OR 691877-86
-8/BI OR 691877-87-9/BI OR 691877-88-0/BI OR 691877-89-1/BI OR
691877-90-4/BI OR 691877-91-5/BI OR 691877-92-6/BI OR 691877-93
-7/BI OR 691877-94-8/BI OR 691877-95-9/BI OR 691877-96-0/BI OR
691877-97-1/BI OR 691877-98-2/BI OR 691877-99-3/BI OR 691878-00
-9/BI OR 691878-01-0/BI OR 691878-02-1/BI OR 691878-03-2/BI OR
691878-04-3/BI OR 691878-05-4/BI OR 691878-07-6/BI OR 691878-08
-7/BI OR 691878-11-2/BI OR 691878-12-3/BI OR 691878-13-4/BI OR
691878-14-5/BI OR 691878-15-6/BI OR 691878-16-7/BI OR 691878-17
-8/BI OR 691878-18-9/BI OR 691878-19-0/BI OR 691878-20-3/BI OR
691878-21-4/BI OR 691878-22-5/BI OR 691878-23-6/BI OR 691878-24
-7/BI OR 691878-25-8/BI OR 691878-26-9/BI OR

FILE 'HCAPLUS' ENTERED AT 17:46:29 ON 21 MAR 2006

L6 5 SEA ABB=ON L4 AND L5

FILE 'REGISTRY' ENTERED AT 17:56:48 ON 21 MAR 2006

L7 STR
L8 16 SEA SSS SAM L7
L9 309 SEA SSS FUL L7

FILE 'HCAPLUS' ENTERED AT 18:01:32 ON 21 MAR 2006

L10 6 SEA ABB=ON L9
L11 6 SEA ABB=ON L10 AND (PRD<20050504 OR PD<20050504)

*6 citations from
CA Plus*

L12

FILE 'USPATFULL' ENTERED AT 18:02:11 ON 21 MAR 2006
10 SEA ABB=ON L10 AND (PRD<20050504 OR PD<20050504)

*10 days from
USPATfull*

FILE HOME

FILE HCAPLUS

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 21 Mar 2006 VOL 144 ISS 13
FILE LAST UPDATED: 20 Mar 2006 (20060320/ED)

New CAS Information Use Policies, enter HELP USAGETERMS for details.

This file contains CAS Registry Numbers for easy and accurate substance identification.

FILE REGISTRY

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 20 MAR 2006 HIGHEST RN 877371-73-8
DICTIONARY FILE UPDATES: 20 MAR 2006 HIGHEST RN 877371-73-8

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH January 6, 2006

Please note that search-term pricing does apply when conducting SmartSELECT searches.

*
* The CA roles and document type information have been removed from *
* the IDE default display format and the ED field has been added, *
* effective March 20, 2005. A new display format, IDERL, is now *
* available and contains the CA role and document type information. *
*

Structure search iteration limits have been increased. See HELP SLIMITS for details.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

<http://www.cas.org/ONLINE/UG/regprops.html>

FILE USPATFULL


FILE COVERS 1971 TO PATENT PUBLICATION DATE: 21 Mar 2006 (20060321/PD)
FILE LAST UPDATED: 21 Mar 2006 (20060321/ED)
HIGHEST GRANTED PATENT NUMBER: US7017190
HIGHEST APPLICATION PUBLICATION NUMBER: US2006059596
CA INDEXING IS CURRENT THROUGH 21 Mar 2006 (20060321/UPCA)
ISSUE CLASS FIELDS (/INCL) CURRENT THROUGH: 21 Mar 2006 (20060321/PD)
REVISED CLASS FIELDS (/NCL) LAST RELOADED: Feb 2006
USPTO MANUAL OF CLASSIFICATIONS THESAURUS ISSUE DATE: Feb 2006

=> d ibib abs hitstr 16 1-5

L6 ANSWER 1 OF 5 HCAPLUS COPYRIGHT 2006 ACS on STN
 ACCESSION NUMBER: 2006:117149 HCAPLUS
 DOCUMENT NUMBER: 144:212801
 TITLE: Preparation of 1-benzyl-4-diarylmethylpiperazines as
 8-opioid agonists.
 INVENTOR(S): **Brown, William; Griffin, Andrew;**
 Hudzik, Thomas; Maciag, Carla; Smagin, Gennady;
 Walpole, Christopher
 PATENT ASSIGNEE(S): Astrazeneca AB, Swed.
 SOURCE: PCT Int. Appl., 43 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2006014133	A1	20060209	WO 2005-SE1186	20050727
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW			
RW:	AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM			
US 2006030569	A1	20060209	US 2005-243623	20051005
PRIORITY APPLN. INFO.:			SE 2004-1968	A 20040802
			US 2004-602363P	P 20040818
			WO 2005-SE1186	A1 20050727

GI




I

Balasubramanian
Balasubramanian
Email


AB Title compds. (I) were prepared Thus, N,N-di-Et 4-[(R)-(3-nitrophenyl)(1-piperazinyl)methyl]benzamide (preparation given) was stirred with 4-fluorobenzaldehyde and Na(AcO)3BH were stirred 20 h in ClCH2CH2Cl to give 71% nitro intermediate, which was refluxed 24 h with Fe in EtOH/THF/aqueous NH4Cl to give 90% 4-[(R)-(3-aminophenyl)[4-(4-fluorobenzyl)piperazin-1-yl]methyl]-N,N-diethylbenzamide. This bound to delta receptors with IC50 = 0.587.

IT 99-61-6, 3-Nitrobenzaldehyde 109-89-7, Diethylamine, reactions 1711-02-0, 4-Iodobenzoyl chloride
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (preparation of benzyldiarylmethylpiperazines as δ -opioid agonists)


RN 99-61-6 HCAPLUS
 CN Benzaldehyde, 3-nitro- (9CI) (CA INDEX NAME)



RN 109-89-7 HCAPLUS
 CN Ethanamine, N-ethyl- (9CI) (CA INDEX NAME)




RN 1711-02-0 HCAPLUS
 CN Benzoyl chloride, 4-iodo- (9CI) (CA INDEX NAME)




IT 77350-52-8P 691877-61-9P 691877-63-1P
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
 (preparation of benzyldiarylmethylpiperazines as δ -opioid agonists)

RN 77350-52-8 HCAPLUS
 CN Benzamide, N,N-diethyl-4-iodo- (9CI) (CA INDEX NAME)




RN 691877-61-9 HCAPLUS
 CN Benzamide, N,N-diethyl-4-[hydroxy(3-nitrophenyl)methyl]- (9CI) (CA INDEX NAME)



RN 691877-63-1 HCAPLUS
 CN Benzamide, N,N-diethyl-4-[(R)-(3-nitrophenyl)-1-piperazinylmethyl]- (9CI)
 (CA INDEX NAME)

Absolute stereochemistry. Rotation (-).



REFERENCE COUNT: 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L6 ANSWER 2 OF 5 HCAPLUS COPYRIGHT 2006 ACS on STN
 ACCESSION NUMBER: 2005:638860 HCAPLUS
 DOCUMENT NUMBER: 143:153402
 TITLE: Preparation of diarylmethylpiperazines as δ receptor ligands for the treatment of pain
 INVENTOR(S): Brown, William; Griffin, Andrew
 PATENT ASSIGNEE(S): Astrazeneca AB, Swed.
 SOURCE: PCT Int. Appl., 69 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2005066148	A1	20050721	WO 2005-SE14	20050105
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM,				

AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK,
 EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT,
 RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML,
 MR, NE, SN, TD, TG

PRIORITY APPLN. INFO.:
 GI

SE 2004-27


A 20040109

* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT *


AB Title compds. I [R1 = alkyl, alkenyl, cycloalkyl, etc.; R2 = H, alkyl, cycloalkyl, etc.; R3 = alkyl, cycloalkyl] and their pharmaceutically acceptable salts were prepared For example, N-alkylation of piperazine II (R1 =H) with bromoethyl Me ether afforded the hCL salt of claimed diarylmethylpiperazine II (R1 = CH2CH2OCH3) in 68% yield. In human δ receptor assays, certain examples of compds. I exhibited IC50 values ranging from 0.2-3.7 nM, with an average of 1 nM (sic).

IT **99-61-6**, 3-Nitrobenzaldehyde **109-89-7**, reactions **110-85-0**, Piperazine, reactions **1711-02-0**, 4-Iodobenzoyl chloride **6482-24-2**, 2-Bromoethyl methyl ether **7051-34-5**, Bromomethylcyclopropane **36865-41-5**, 1-Bromo-3-methoxypropane
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (preparation of diarylmethylpiperazines as δ receptor ligands for treatment of pain)


RN **99-61-6** HCAPLUS
 CN Benzaldehyde, 3-nitro- (9CI) (CA INDEX NAME)




RN **109-89-7** HCAPLUS
 CN Ethanamine, N-ethyl- (9CI) (CA INDEX NAME)




RN **110-85-0** HCAPLUS
 CN Piperazine (8CI, 9CI) (CA INDEX NAME)




RN **1711-02-0** HCAPLUS
 CN Benzoyl chloride, 4-iodo- (9CI) (CA INDEX NAME)




RN 6482-24-2 HCAPLUS
 CN Ethane, 1-bromo-2-methoxy- (9CI) (CA INDEX NAME)




RN 7051-34-5 HCAPLUS
 CN Cyclopropane, (bromomethyl)- (7CI, 8CI, 9CI) (CA INDEX NAME)




RN 36865-41-5 HCAPLUS
 CN Propane, 1-bromo-3-methoxy- (9CI) (CA INDEX NAME)



IT **77350-52-8P**, 4-Iodo-N,N-diethylbenzamide **477191-80-3P**,
 N,N-Diethyl-4-[(3-nitrophenyl)(1-piperazinyl)methyl]benzamide
691877-61-9P, 4-[Hydroxy(3-nitrophenyl)methyl]-N,N-
 diethylbenzamide **691877-62-0P** **691877-63-1P**
691878-34-9P
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT
 (Reactant or reagent)
 (preparation of diarylmethylpiperazines as δ receptor ligands for
 treatment of pain)
 RN 77350-52-8 HCAPLUS
 CN Benzamide, N,N-diethyl-4-iodo- (9CI) (CA INDEX NAME)




RN 477191-80-3 HCAPLUS
 CN Benzamide, N,N-diethyl-4-[(3-nitrophenyl)-1-piperazinylmethyl]- (9CI) (CA
 INDEX NAME)



RN 691877-61-9 HCAPLUS


CN Benzamide, N,N-diethyl-4-[hydroxy(3-nitrophenyl)methyl]- (9CI) (CA INDEX NAME)



RN 691877-62-0 HCAPLUS

CN Benzamide, N,N-diethyl-4-[(S)-(3-nitrophenyl)-1-piperazinylmethyl]- (9CI) (CA INDEX NAME)


Absolute stereochemistry. Rotation (+).



RN 691877-63-1 HCAPLUS

CN Benzamide, N,N-diethyl-4-[(R)-(3-nitrophenyl)-1-piperazinylmethyl]- (9CI) (CA INDEX NAME)


Absolute stereochemistry. Rotation (-).



RN 691878-34-9 HCAPLUS

CN Benzamide, 4-[(R)-(3-aminophenyl)[4-(2-methoxyethyl)-1-piperazinyl]methyl]-
N,N-diethyl- (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (-).



REFERENCE COUNT: 2 THERE ARE 2 CITED REFERENCES AVAILABLE FOR THIS
RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L6 ANSWER 3 OF 5 HCAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 2004:412932 HCAPLUS

DOCUMENT NUMBER: 140:423709

TITLE: Preparation of N-[4-(phenylpiperazinylmethyl)
)phenyl]carbamates for treatment of pain, anxiety, or
gastrointestinal disorders

INVENTOR(S): **Brown, William; Griffin, Andrew;**
Jones, Paul; Page, Daniel; Plobeck, Niklas; Walpole,
Christopher

PATENT ASSIGNEE(S): Astrazeneca AB, Swed.

SOURCE: PCT Int. Appl., 72 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
-----	----	-----	-----	-----

WO 2004041802 A1 20040521 WO 2003-SE1707 20031105
 WO 2004041802 C1 20050310
 W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH,
 CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD,
 GE, GH, GM, GR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC,
 LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO,
 NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ,
 TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW
 RW: BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ,
 BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE,
 ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK,
 TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG
 CA 2502732 AA 20040521 CA 2003-2502732 20031105
 AU 2003278665 A1 20040607 AU 2003-278665 20031105
 EP 1562924 A1 20050817 EP 2003-770198 20031105
 R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,
 IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK
 BR 2003015995 A 20050927 BR 2003-15995 20031105
 NO 2005002698 A 20050606 NO 2005-2698 20050606
 PRIORITY APPLN. INFO.: SE 2002-3303 A 20021107
 WO 2003-SE1707 W 20031105
 OTHER SOURCE(S): MARPAT 140:423709
 GI

* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT *


AB Title compds. I [wherein R1 = (un)substituted (hetero)aryl(alkyl); R2 and R3 = independently H or (un)substituted (cyclo)alkyl; or pharmaceutically acceptable salts, diastereomers, enantiomers, or mixts. thereof] were prepared as opioid δ receptor ligands. For example, 4-carboxybenzaldehyde was amidated with diethylamine using SOCl₂ in CH₂Cl₂ to give N,N-diethyl-4-formylbenzamide (90%). Coupling of the amide with N-Boc-piperazine in the presence of benzotriazole in toluene, followed by reaction with 3-bromophenylzinc iodide in THF, afforded tert-Bu 4-[(3-bromophenyl)[4-[(diethylamino)carbonyl]phenyl]methyl]-1-piperazinecarboxylate (33%). Coupling with Me carbamate (62%) using xantphos, Cs₂CO₃, and Pd₂(dba)₃ in dioxane, deprotection (89%) with TFA in CH₂Cl₂, and chiral HPLC separation of the enantiomers provided (-)-[3-[[4-[(diethylamino)carbonyl]phenyl]-1-piperazinylmethyl]phenyl]carbamic acid Me ester. Reaction of the piperazine with benzaldehyde in the presence of NaBH(OAc)₃ in CH₂Cl₂ gave (R)-II. In binding assays using human 293S cells expressing cloned human opioid receptors and neomycin resistance, (R)-II and ten other exemplified compds. exhibited strong binding to the δ receptor with IC₅₀ values in the range of 0.25-0.74 nM and showed some activity toward the κ (IC₅₀ = 247-1636 nM) and μ (IC₅₀ = 93-1100 nM) receptors. In functional assays, (R)-II demonstrated δ receptor agonist activity by activating the binding of GTP to G-proteins. Thus, I and their pharmaceutical compns. are useful in therapy, in particular for the treatment of gastrointestinal disorders, anxiety, or pain (no data).

IT 691877-63-1P
 RL: PUR (Purification or recovery); RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
 (intermediate; preparation of N-[(phenylpiperazinylmethyl)phenyl]carbamates as δ receptor agonists for treatment of pain, anxiety, or gastrointestinal disorders)


RN 691877-63-1 HCAPLUS

CN Benzamide, N,N-diethyl-4-[(R)-(3-nitrophenyl)-1-piperazinylmethyl]- (9CI)
(CA INDEX NAME)


Absolute stereochemistry. Rotation (-).




IT 58287-77-7P, N,N-Diethyl-4-formylbenzamide 77350-52-8P,
4-Iodo-N,N-diethylbenzamide 477191-80-3P, N,N-Diethyl-4-[(3-
nitrophenyl)(1-piperazinyl)methyl]benzamide 691877-61-9P
, 4-[Hydroxy(3-nitrophenyl)methyl]-N,N-diethylbenzamide
691877-64-2P 691877-65-3P
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT
(Reactant or reagent)
(intermediate; preparation of N-[(phenylpiperazinylmethyl
)phenyl]carbamates as δ receptor agonists for treatment of pain,
anxiety, or gastrointestinal disorders)
RN 58287-77-7 HCAPLUS
CN Benzamide, N,N-diethyl-4-formyl- (9CI) (CA INDEX NAME)




RN 77350-52-8 HCAPLUS
CN Benzamide, N,N-diethyl-4-iodo- (9CI) (CA INDEX NAME)



RN 477191-80-3 HCAPLUS
CN Benzamide, N,N-diethyl-4-[(3-nitrophenyl)-1-piperazinylmethyl]- (9CI) (CA
INDEX NAME)




RN 691877-61-9 HCAPLUS
 CN Benzamide, N,N-diethyl-4-[hydroxy(3-nitrophenyl)methyl]- (9CI) (CA INDEX NAME)




RN 691877-64-2 HCAPLUS
 CN 1-Piperazinecarboxylic acid, 4-[(S)-(3-aminophenyl)[4-[(diethylamino)carbonyl]phenyl)methyl]-, 1,1-dimethylethyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.




RN 691877-65-3 HCAPLUS
 CN 1-Piperazinecarboxylic acid, 4-[(R)-(3-aminophenyl)[4-[(diethylamino)carbonyl]phenyl)methyl]-, 1,1-dimethylethyl ester (9CI) (CA INDEX NAME)


Absolute stereochemistry.




IT 98-01-1, 2-Furaldehyde, reactions 98-03-3,
 2-Thiophenecarboxaldehyde 99-61-6, 3-Nitrobenzaldehyde
 100-52-7, Benzaldehyde, reactions 109-89-7,
 Diethylamine, reactions 110-85-0, Piperazine, reactions
 498-60-2, 3-Furaldehyde 498-62-4, 3-
 Thiophenecarboxaldehyde 619-66-9, 4-Carboxybenzaldehyde
 1711-02-0, 4-Iodobenzoyl chloride 10200-59-6,
 Thiazole-2-carboxaldehyde 57260-71-6, N-Boc-piperazine
 691877-62-0
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (preparation of N-[(phenylpiperazinylmethyl)phenyl]carbamates as
 δ receptor agonists for treatment of pain, anxiety, or
 gastrointestinal disorders)
 RN 98-01-1 HCAPLUS
 CN 2-Furancarboxaldehyde (9CI) (CA INDEX NAME)




RN 98-03-3 HCAPLUS
 CN 2-Thiophenecarboxaldehyde (7CI, 8CI, 9CI) (CA INDEX NAME)




RN 99-61-6 HCAPLUS
 CN Benzaldehyde, 3-nitro- (9CI) (CA INDEX NAME)




RN 100-52-7 HCAPLUS
 CN Benzaldehyde (7CI, 8CI, 9CI) (CA INDEX NAME)




RN 109-89-7 HCAPLUS
CN Ethanamine, N-ethyl- (9CI) (CA INDEX NAME)




RN 110-85-0 HCAPLUS
CN Piperazine (8CI, 9CI) (CA INDEX NAME)




RN 498-60-2 HCAPLUS
CN 3-Furancarboxaldehyde (9CI) (CA INDEX NAME)




RN 498-62-4 HCAPLUS
CN 3-Thiophenecarboxaldehyde (7CI, 8CI, 9CI) (CA INDEX NAME)




RN 619-66-9 HCAPLUS
CN Benzoic acid, 4-formyl- (9CI) (CA INDEX NAME)




RN 1711-02-0 HCAPLUS
CN Benzoyl chloride, 4-iodo- (9CI) (CA INDEX NAME)



RN 10200-59-6 HCAPLUS
 CN 2-Thiazolecarboxaldehyde (6CI, 7CI, 8CI, 9CI) (CA INDEX NAME)




RN 57260-71-6 HCAPLUS
 CN 1-Piperazinecarboxylic acid, 1,1-dimethylethyl ester (9CI) (CA INDEX NAME)



RN 691877-62-0 HCAPLUS
 CN Benzamide, N,N-diethyl-4-[(S)-(3-nitrophenyl)-1-piperazinylmethyl]- (9CI)
 (CA INDEX NAME)

Absolute stereochemistry. Rotation (+).



L6 ANSWER 4 OF 5 HCAPLUS COPYRIGHT 2006 ACS on STN
 ACCESSION NUMBER: 2004:412931 HCAPLUS
 DOCUMENT NUMBER: 140:423708
 TITLE: Preparation of 4-(phenylpiperazinylmethyl

INVENTOR(S):)benzamides for treatment of pain, anxiety, or
 PATENT ASSIGNEE(S): gastrointestinal disorders
 SOURCE: **Brown, William; Griffin, Andrew**
 Astrazeneca AB, Swed.
 PCT Int. Appl., 127 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2004041801	A1	20040521	WO 2003-SE1706	20031105
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US , UZ, VC, VN, YU, ZA, ZM, ZW RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
AU 2003278664	A1	20040607	AU 2003-278664	20031105
EP 1562923	A1	20050817	EP 2003-770197	20031105
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK				
JP 2006508946	T2	20060316	JP 2004-549775	20031105
PRIORITY APPLN. INFO.:			SE 2002-3302	A 20021107
			WO 2003-SE1706	W 20031105
OTHER SOURCE(S):			MARPAT 140:423708	
GI				

* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT *

AB Title compds. I [wherein R1 = (un)substituted alkyl or cycloalkyl(alkyl), (hetero)aryl, R8CO, R8SO₂, R8SO, R8NHCO, R8CS, or R8NHCS; ; R2 = H or (un)substituted alkyl; R3 = H or (un)substituted alkoxycarbonyl, alkyl, or cycloalkyl(alkyl); R8 = (un)substituted alkyl, (hetero)aryl(alkyl), or cycloalkyl(alkyl); or pharmaceutically acceptable salts thereof] were prepared as opioid δ receptor ligands. For example, amidation of 4-iodobenzoyl chloride with Et₂NH using TEA in CH₂Cl₂ provided 4-iodo-N,N-diethylbenzamide, which was coupled with 3-nitrobenzaldehyde in the presence of BuLi in THF to give 4-[hydroxy(3-nitrophenyl)methyl]-N,N-diethylbenzamide (50%). Reaction with thionyl bromide in CH₂Cl₂, followed by substitution with piperazine in MeCN and enantiomeric separation using di-p-toluoyl-D-tartaric acid, afforded N,N-diethyl-4-[(S)-(3-nitrophenyl)(1-piperazinyl)methyl]benzamide. N-protection with di-tert-Bu dicarbonate, alkylation with 2-thiazolecarboxaldehyde in the presence of Na triacetoxyborohydride in ClCH₂CH₂Cl, and deprotection using TFA gave (S)-II. In binding assays using human 293S cells expressing cloned human opioid receptors and neomycin resistance, most compds. of the invention exhibited activity toward the δ receptor with IC₅₀ values in the range of 0.15 nM - 30.4 nM with an average of 2.30 nM. Exemplified compds. also showed some activity toward the κ and μ receptors with IC₅₀ values in the ranges of 320 nM - 8457 nM and 16 nM - 9560 nM,

resp. Thus, I and their pharmaceutical compns. are useful in therapy, in particular for the treatment of gastrointestinal disorders, anxiety, or pain (no data).


IT 691877-62-0P, (S)-N,N-Diethyl-4-[(3-nitrophenyl)(1-piperazinyl)methyl]benzamide 691877-63-1P, (R)-N,N-Diethyl-4-[(3-nitrophenyl)(1-piperazinyl)methyl]benzamide

RL: PUR (Purification or recovery); RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent) (intermediate; preparation of (phenylpiperazinylmethyl)benzamides as δ receptor agonists for treatment of pain, anxiety, or gastrointestinal disorders)

RN 691877-62-0 HCAPLUS

CN Benzamide, N,N-diethyl-4-[(S)-(3-nitrophenyl)-1-piperazinylmethyl]- (9CI) (CA INDEX NAME)


Absolute stereochemistry. Rotation (+).



RN 691877-63-1 HCAPLUS

CN Benzamide, N,N-diethyl-4-[(R)-(3-nitrophenyl)-1-piperazinylmethyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (-).



IT 77350-52-8P, 4-Iodo-N,N-diethylbenzamide 477191-80-3P, N,N-Diethyl-4-[(3-nitrophenyl)(1-piperazinyl)methyl]benzamide 691877-61-9P, 4-[Hydroxy(3-nitrophenyl)methyl]-N,N-diethylbenzamide 691877-64-2P, tert-Butyl (S)-4-[(3-


aminophenyl)[4-[(diethylamino)carbonyl]phenyl]methyl]piperazine-1-carboxylate **691877-65-3P**, tert-Butyl (R)-4-[(3-aminophenyl)[4-[(diethylamino)carbonyl]phenyl]methyl]piperazine-1-carboxylate **691877-66-4P**, tert-Butyl (R)-4-[(3-anilinophenyl)[4-[(diethylamino)carbonyl]phenyl]methyl]piperazine-1-carboxylate **691877-67-5P**, tert-Butyl (S)-4-[(3-anilinophenyl)[4-[(diethylamino)carbonyl]phenyl]methyl]piperazine-1-carboxylate **691878-43-0P**.

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(intermediate; preparation of (phenylpiperazinylmethyl)benzamides as δ receptor agonists for treatment of pain, anxiety, or gastrointestinal disorders)


RN 77350-52-8 HCAPLUS

CN Benzamide, N,N-diethyl-4-iodo- (9CI) (CA INDEX NAME)




RN 477191-80-3 HCAPLUS

CN Benzamide, N,N-diethyl-4-[(3-nitrophenyl)-1-piperazinylmethyl]- (9CI) (CA INDEX NAME)



RN 691877-61-9 HCAPLUS


CN Benzamide, N,N-diethyl-4-[hydroxy(3-nitrophenyl)methyl]- (9CI) (CA INDEX NAME)



RN 691877-64-2 HCAPLUS

CN 1-Piperazinecarboxylic acid, 4-[(S)-(3-aminophenyl)[4-[(diethylamino)carbonyl]phenyl]methyl]-, 1,1-dimethylethyl ester (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 691877-65-3 HCAPLUS

CN 1-Piperazinecarboxylic acid, 4-[(R)-(3-aminophenyl)[4-[(diethylamino)carbonyl]phenyl]methyl]-, 1,1-dimethylethyl ester (9CI)
(CA INDEX NAME)


Absolute stereochemistry.



RN 691877-66-4 HCAPLUS

CN 1-Piperazinecarboxylic acid, 4-[(R)-[4-[(diethylamino)carbonyl]phenyl][3-(phenylamino)phenyl]methyl]-, 1,1-dimethylethyl ester (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 691877-67-5 HCAPLUS

CN 1-Piperazinecarboxylic acid, 4-[(S)-[4-[(diethylamino)carbonyl]phenyl][3-(phenylamino)phenyl]methyl]-, 1,1-dimethylethyl ester (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 691878-43-0 HCAPLUS

CN Benzamide, N,N-diethyl-4-[(R)-(3-nitrophenyl)[4-(2-propenyl)-1-piperazinyl]methyl]- (9CI) (CA INDEX NAME)


Absolute stereochemistry.




IT 67-36-7, 4-Phenoxybenzaldehyde 93-97-0, Benzoic anhydride 98-01-1, 2-Furaldehyde, reactions 98-03-3, 2-Thiophenecarboxaldehyde 98-89-5, Cyclohexanecarboxylic acid 99-61-6, 3-Nitrobenzaldehyde 100-52-7, Benzaldehyde, reactions 103-71-9, Phenyl isocyanate, reactions 103-72-0, Phenyl isothiocyanate 103-80-0, Phenylacetyl chloride 106-38-7, 4-Bromotoluene 106-95-6, Allyl bromide, reactions 108-37-2, 3-Chlorobromobenzene 108-86-1, Bromobenzene, reactions 108-94-1, Cyclohexanone, reactions 110-85-0, Piperazine, reactions 120-92-3, Cyclopentanone 122-78-1, Phenylacetaldehyde 123-38-6, Propionaldehyde, reactions 331-25-9, 3-Fluorophenylacetic acid 455-19-6, 4-Trifluoromethylbenzaldehyde 498-60-2, 3-Furaldehyde 498-62-4, 3-Thiophenecarboxaldehyde 502-42-1, Cycloheptanone 502-49-8, Cyclooctanone 826-55-1, α,α -Dimethylphenylacetic acid 870-63-3, 1-Bromo-3-methylbut-2-ene 872-53-7, Cyclopentanecarboxaldehyde 939-97-9, 4-(1,1-Dimethylethyl)benzaldehyde 947-91-1, Diphenylacetaldehyde 1072-85-1, 2-Fluorobromobenzene 1192-88-7, 1-Cyclohexene-1-carboxaldehyde 1489-69-6, Cyclopropanecarboxaldehyde 1711-02-0, 4-Iodobenzoyl chloride 1939-99-7, α -Toluenesulfonyl chloride 2043-61-0, Cyclohexanecarboxaldehyde 2719-27-9, Cyclohexanecarbonyl chloride 3350-30-9, Cyclononane 5292-21-7, Cyclohexylacetic acid 5470-96-2, 2-Quinolinecarboxaldehyde 6482-24-2, 2-Bromoethyl methyl ether 7051-34-5, Bromomethylcyclopropane 10040-98-9, 4-(1H-Imidazol-1-yl)benzaldehyde 10200-59-6, Thiazole-2-carboxaldehyde 36865-41-5, 1-Bromo-3-methoxypropane 127406-55-7, 4-(3-Pyridinyl)benzaldehyde

RL: RCT (Reactant); RACT (Reactant or reagent)
 (preparation of (phenylpiperazinylmethyl)benzamides as δ receptor agonists for treatment of pain, anxiety, or gastrointestinal disorders)


RN 67-36-7 HCAPLUS
 CN Benzaldehyde, 4-phenoxy- (9CI) (CA INDEX NAME)




RN 93-97-0 HCAPLUS
CN Benzoic acid, anhydride (9CI) (CA INDEX NAME)




RN 98-01-1 HCAPLUS
CN 2-Furancarboxaldehyde (9CI) (CA INDEX NAME)




RN 98-03-3 HCAPLUS
CN 2-Thiophenecarboxaldehyde (7CI, 8CI, 9CI) (CA INDEX NAME)




RN 98-89-5 HCAPLUS
CN Cyclohexanecarboxylic acid (6CI, 8CI, 9CI) (CA INDEX NAME)




RN 99-61-6 HCAPLUS
CN Benzaldehyde, 3-nitro- (9CI) (CA INDEX NAME)




RN 100-52-7 HCAPLUS
CN Benzaldehyde (7CI, 8CI, 9CI) (CA INDEX NAME)




RN 103-71-9 HCAPLUS
 CN Benzene, isocyanato- (9CI) (CA INDEX NAME)




RN 103-72-0 HCAPLUS
 CN Benzene, isothiocyanato- (9CI) (CA INDEX NAME)




RN 103-80-0 HCAPLUS
 CN Benzeneacetyl chloride (9CI) (CA INDEX NAME)




RN 106-38-7 HCAPLUS
 CN Benzene, 1-bromo-4-methyl- (9CI) (CA INDEX NAME)




RN 106-95-6 HCAPLUS
 CN 1-Propene, 3-bromo- (9CI) (CA INDEX NAME)




RN 108-37-2 HCAPLUS
 CN Benzene, 1-bromo-3-chloro- (6CI, 8CI, 9CI) (CA INDEX NAME)




RN 108-86-1 HCAPLUS
CN Benzene, bromo- (8CI, 9CI) (CA INDEX NAME)




RN 108-94-1 HCAPLUS
CN Cyclohexanone (7CI, 8CI, 9CI) (CA INDEX NAME)




RN 110-85-0 HCAPLUS
CN Piperazine (8CI, 9CI) (CA INDEX NAME)




RN 120-92-3 HCAPLUS
CN Cyclopentanone (8CI, 9CI) (CA INDEX NAME)




RN 122-78-1 HCAPLUS
CN Benzeneacetaldehyde (9CI) (CA INDEX NAME)




RN 123-38-6 HCAPLUS
CN Propanal (9CI) (CA INDEX NAME)




RN 331-25-9 HCAPLUS
CN Benzeneacetic acid, 3-fluoro- (9CI) (CA INDEX NAME)




RN 455-19-6 HCAPLUS
CN Benzaldehyde, 4-(trifluoromethyl)- (9CI) (CA INDEX NAME)




RN 498-60-2 HCAPLUS
CN 3-Furancarboxaldehyde (9CI) (CA INDEX NAME)




RN 498-62-4 HCAPLUS
CN 3-Thiophenecarboxaldehyde (7CI, 8CI, 9CI) (CA INDEX NAME)



RN 502-42-1 HCAPLUS
CN Cycloheptanone (8CI, 9CI) (CA INDEX NAME)




RN 502-49-8 HCAPLUS
CN Cyclooctanone (8CI, 9CI) (CA INDEX NAME)




RN 826-55-1 HCAPLUS

CN Benzeneacetic acid, α,α -dimethyl- (9CI) (CA INDEX NAME)




RN 870-63-3 HCAPLUS

CN 2-Butene, 1-bromo-3-methyl- (6CI, 7CI, 8CI, 9CI) (CA INDEX NAME)




RN 872-53-7 HCAPLUS

CN Cyclopentanecarboxaldehyde (6CI, 7CI, 8CI, 9CI) (CA INDEX NAME)




RN 939-97-9 HCAPLUS

CN Benzaldehyde, 4-(1,1-dimethylethyl)- (9CI) (CA INDEX NAME)




RN 947-91-1 HCAPLUS

CN Benzeneacetaldehyde, α -phenyl- (9CI) (CA INDEX NAME)




RN 1072-85-1 HCAPLUS

CN Benzene, 1-bromo-2-fluoro- (7CI, 8CI, 9CI) (CA INDEX NAME)




RN 1192-88-7 HCAPLUS


CN 1-Cyclohexene-1-carboxaldehyde (6CI, 7CI, 8CI, 9CI) (CA INDEX NAME)




RN 1489-69-6 HCAPLUS
 CN Cyclopropanecarboxaldehyde (6CI, 7CI, 8CI, 9CI) (CA INDEX NAME)




RN 1711-02-0 HCAPLUS
 CN Benzoyl chloride, 4-iodo- (9CI) (CA INDEX NAME)




RN 1939-99-7 HCAPLUS
 CN Benzenemethanesulfonyl chloride (9CI) (CA INDEX NAME)




RN 2043-61-0 HCAPLUS
 CN Cyclohexanecarboxaldehyde (6CI, 8CI, 9CI) (CA INDEX NAME)




RN 2719-27-9 HCAPLUS
 CN Cyclohexanecarbonyl chloride (6CI, 7CI, 8CI, 9CI) (CA INDEX NAME)




RN 3350-30-9 HCAPLUS
CN Cyclononanone (6CI, 7CI, 8CI, 9CI) (CA INDEX NAME)




RN 5292-21-7 HCAPLUS
CN Cyclohexaneacetic acid (6CI, 7CI, 8CI, 9CI) (CA INDEX NAME)




RN 5470-96-2 HCAPLUS
CN 2-Quinolinecarboxaldehyde (9CI) (CA INDEX NAME)




RN 6482-24-2 HCAPLUS
CN Ethane, 1-bromo-2-methoxy- (9CI) (CA INDEX NAME)




RN 7051-34-5 HCAPLUS
CN Cyclopropane, (bromomethyl)- (7CI, 8CI, 9CI) (CA INDEX NAME)



RN 10040-98-9 HCAPLUS
CN Benzaldehyde, 4-(1H-imidazol-1-yl)- (9CI) (CA INDEX NAME)




RN 10200-59-6 HCAPLUS
 CN 2-Thiazolecarboxaldehyde (6CI, 7CI, 8CI, 9CI) (CA INDEX NAME)



RN 36865-41-5 HCAPLUS
 CN Propane, 1-bromo-3-methoxy- (9CI) (CA INDEX NAME)


Br⁻ (CH₂)₃-O⁻ Me

RN 127406-55-7 HCAPLUS
 CN Benzaldehyde, 4-(3-pyridinyl)- (9CI) (CA INDEX NAME)



IT **691878-39-4P**, (S)-4-[[3-(Cycloheptylamino)phenyl](piperazin-1-yl)methyl]-N,N-diethylbenzamide
 RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
 (δ receptor agonist; 00000prepn. of (**phenylpiperazinylmethyl**)benzamides as δ receptor agonists for treatment of pain, anxiety, or gastrointestinal disorders)
 RN 691878-39-4 HCAPLUS
 CN Benzamide, 4-[(S)-[3-(cycloheptylamino)phenyl]-1-piperazinylmethyl]-N,N-diethyl- (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (+).



IT 691877-84-6P, (S)-N,N-Diethyl-4-[(piperazin-1-yl)[3-[(1,3-thiazol-2-ylmethyl)amino]phenyl]methyl]benzamide trifluoroacetate (1:1.6)
 691877-93-7P, (S)-4-[[3-(Cyclohexylamino)phenyl](piperazin-1-yl)methyl]-N,N-diethylbenzamide 691878-16-7P,
 (S)-N,N-Diethyl-4-[(1-piperazinyl)[3-(propylamino)phenyl]methyl]benzamide trifluoroacetate (1:2.4)
 691878-17-8P, (S)-4-[[3-(Dipropylamino)phenyl](piperazin-1-yl)methyl]-N,N-diethylbenzamide trifluoroacetate 691878-18-9P,
 (R)-N,N-Diethyl-4-[(1-piperazinyl)[3-(propylamino)phenyl]methyl]benzamide 691878-20-3P,
 (R)-N,N-Diethyl-4-[(1-piperazinyl)[3-(propylamino)phenyl]methyl]benzamide trifluoroacetate (1:3.6)
 691878-22-5P, (S)-N,N-Diethyl-4-[(1-piperazinyl)[3-[[4-(3-pyridinyl)phenyl]methyl]amino]phenyl]methyl]benzamide trifluoroacetate (1:3.3) 691878-24-7P, (S)-N,N-Diethyl-4-[[3-[[4-(1H-imidazol-1-yl)phenyl]methyl]amino]phenyl]piperazin-1-ylmethyl]benzamide trifluoroacetate (1:3) 691878-26-9P,
 (S)-N,N-Diethyl-4-[(1-piperazinyl)[3-[(2-quinolinylmethyl)amino]phenyl]methyl]benzamide trifluoroacetate (1:3.6)
 691878-28-1P, (R)-4-[[3-[(2,2-Diphenylethyl)amino]phenyl]piperazin-1-ylmethyl]-N,N-diethylbenzamide trifluoroacetate (1:2.8)
 691878-30-5P 691878-32-7P, (R)-N,N-Diethyl-4-[[3-[[4-phenoxyphenyl]methyl]amino]phenyl](piperazin-1-yl)methyl]benzamide trifluoroacetate (1:2.3) 691878-34-9P, (R)-4-[(3-Aminophenyl)[4-(2-methoxyethyl)piperazin-1-yl]methyl]-N,N-diethylbenzamide
 691878-35-0P, (R)-4-[(3-Aminophenyl)[4-(3-methoxypropyl)piperazin-1-yl]methyl]-N,N-diethylbenzamide 691878-38-3P,
 (R)-N,N-Diethyl-4-[[4-(3-methoxypropyl)-1-piperazinyl][3-(propylamino)phenyl]methyl]benzamide trifluoroacetate (1:2)
 691878-42-9P, (R)-4-[(3-Aminophenyl)[4-(2-propenyl)-1-piperazinyl]methyl]-N,N-diethylbenzamide 691878-44-1P,
 (R)-4-[(3-Aminophenyl)[4-(3-methyl-2-butenyl)-1-piperazinyl]methyl]-N,N-diethylbenzamide 691878-45-2P, (R)-4-[(3-Aminophenyl)[4-(cyclopropylmethyl)-1-piperazinyl]methyl]-N,N-diethylbenzamide 691878-61-2P, (R)-N,N-Diethyl-4-[(piperazin-1-yl)[3-[(1,3-thiazol-2-ylmethyl)amino]phenyl]methyl]benzamide trifluoroacetate (1:2.4) 691878-62-3P, (S)-4-[[3-(Benzylamino)phenyl](piperazin-1-yl)methyl]-N,N-diethylbenzamide trifluoroacetate (1:2.6) 691878-63-4P, (R)-N,N-Diethyl-4-[(piperazin-1-yl)[3-[(thien-2-ylmethyl)amino]phenyl]methyl]benzamide trifluoroacetate (1:2) 691878-64-5P, (S)-N,N-Diethyl-4-[(piperazin-1-yl)[3-[(thien-2-ylmethyl)amino]phenyl]methyl]benzamide trifluoroacetate (1:3) 691878-65-6P, (S)-N,N-Diethyl-4-[[3-[(2-

furylmethyl)amino]phenyl](piperazin-1-yl)methyl]benzamide trifluoroacetate (1:2.5) **691878-66-7P**, (R)-N,N-Diethyl-4-[[3-[(2-furylmethyl)amino]phenyl](piperazin-1-yl)methyl]benzamide trifluoroacetate (1:3) **691878-67-8P**, (R)-N,N-Diethyl-4-[(piperazin-1-yl)[3-[(thien-3-ylmethyl)amino]phenyl]methyl]benzamide trifluoroacetate (1:2) **691878-68-9P**, (S)-N,N-Diethyl-4-[(piperazin-1-yl)[3-[(thien-3-ylmethyl)amino]phenyl]methyl]benzamide trifluoroacetate (1:2.8) **691878-69-0P**, (R)-N,N-Diethyl-4-[[3-[(3-furylmethyl)amino]phenyl](piperazin-1-yl)methyl]benzamide trifluoroacetate (1:1.8) **691878-70-3P**, (R)-N,N-Diethyl-4-[[3-[(2-phenylethyl)amino]phenyl](piperazin-1-yl)methyl]benzamide trifluoroacetate (1:1.9) **691878-71-4P**, (R)-N,N-Diethyl-4-[(piperazin-1-yl)[3-[(4-trifluoromethylbenzyl)amino]phenyl]methyl]benzamide trifluoroacetate (1:1.4) **691878-72-5P**, (S)-4-[[3-[(Cyclohexylmethyl)amino]phenyl](piperazin-1-yl)methyl]-N,N-diethylbenzamide trifluoroacetate (1:2.8) **691878-73-6P**, (R)-4-[[3-[(Cyclohex-1-en-1-ylmethyl)amino]phenyl](piperazin-1-yl)methyl]-N,N-diethylbenzamide trifluoroacetate (1:2.9) **691878-75-8P 691878-76-9P**, (R)-4-[[3-(Cyclopentylamino)phenyl](piperazin-1-yl)methyl]-N,N-diethylbenzamide trifluoroacetate (1:2.6) **691878-77-0P 691878-78-1P**, (R)-4-[[3-(Cyclooctylamino)phenyl](piperazin-1-yl)methyl]-N,N-diethylbenzamide trifluoroacetate (1:2.6) **691878-79-2P**, (R)-4-[[3-(Cyclononylamino)phenyl](piperazin-1-yl)methyl]-N,N-diethylbenzamide trifluoroacetate (1:2.6) **691878-80-5P**, (S)-4-[[3-(Cyclohexylamino)phenyl](piperazin-1-yl)methyl]-N,N-diethylbenzamide trifluoroacetate (1:2.5) **691878-81-6P**, (R)-4-[[3-(Benzoylamino)phenyl](piperazin-1-yl)methyl]-N,N-diethylbenzamide trifluoroacetate (1:1.6) **691878-82-7P**, (R)-N,N-Diethyl-4-[[3-[(phenylacetyl)amino]phenyl](piperazin-1-yl)methyl]benzamide trifluoroacetate (1:0.9) **691878-83-8P**, (S)-4-[[3-(Benzoylamino)phenyl](piperazin-1-yl)methyl]-N,N-diethylbenzamide trifluoroacetate (1:1.9) **691878-84-9P**, (S)-N,N-Diethyl-4-[[3-[(phenylacetyl)amino]phenyl](piperazin-1-yl)methyl]benzamide trifluoroacetate (1:1.8) **691878-85-0P**, (R)-N,N-Diethyl-4-[[3-[(2-methyl-2-phenylpropanoyl)amino]phenyl](piperazin-1-yl)methyl]benzamide trifluoroacetate (1:1.5) **691878-86-1P**, (R)-N,N-Diethyl-4-[[3-[[3-(3-fluorophenyl)acetyl]amino]phenyl](piperazin-1-yl)methyl]benzamide trifluoroacetate (1:1.4) **691878-87-2P**, (R)-4-[[3-[(Benzylsulfonyl)amino]phenyl](piperazin-1-yl)methyl]-N,N-diethylbenzamide trifluoroacetate (1:0.6) **691878-89-4P**, (S)-N,N-Diethyl-4-[[3-[(phenylsulfonyl)amino]phenyl](piperazin-1-yl)methyl]benzamide trifluoroacetate (1:1.9) **691878-90-7P**, (R)-4-[[3-[(Anilinocarbonyl)amino]phenyl](piperazin-1-yl)methyl]-N,N-diethylbenzamide trifluoroacetate (1:2) **691878-91-8P**, (R)-4-[[3-(Dipropylamino)(piperazin-1-yl)phenyl]methyl]-N,N-diethylbenzamide trifluoroacetate (1:4.2) **691878-92-9P**, (R)-N,N-Diethyl-4-[[4-(2-propenyl)-1-piperazinyl][3-(propylamino)phenyl]methyl]benzamide trifluoroacetate (1:2.7) **691878-93-0P**, (R)-4-[(3-Aminophenyl)[4-(2-methoxyethyl)piperazin-1-yl]methyl]-N,N-diethylbenzamide hydrochloride (1:3.2) **691878-94-1P**, (R)-4-[(3-Aminophenyl)[4-(3-methoxypropyl)piperazin-1-yl]methyl]-N,N-diethylbenzamide tetrahydrochloride **691878-95-2P**, (R)-N,N-Diethyl-4-[[4-(2-methoxyethyl)-1-piperazinyl][3-(propylamino)phenyl]methyl]benzamide trifluoroacetate (1:2.6) **691878-96-3P**, (S)-4-[[3-(Cycloheptylamino)phenyl](piperazin-1-yl)methyl]-N,N-diethylbenzamide trifluoroacetate (1:2.9) **691878-97-4P**, (S)-4-[[3-(Cyclooctylamino)phenyl](piperazin-1-yl)methyl]-N,N-diethylbenzamide trifluoroacetate (1:2.8) **691878-98-5P**, (R)-4-[(3-Aminophenyl)[4-(2-propenyl)-1-

piperazinyl)methyl]-N,N-diethylbenzamide trihydrochloride
691878-99-6P, (R)-4-[(3-Aminophenyl)[4-(3-methyl-2-butenyl)-1-
piperazinyl)methyl]-N,N-diethylbenzamide hydrochloride (1:3.8)
691879-00-2P, (R)-N,N-Diethyl-4-[[4-(2-propenyl)-1-
piperazinyl][3-[(2-thienyl)methyl]amino]phenyl)methyl]benzamide
trifluoroacetate (1:2.3) 691879-01-3P, (R)-N,N-Diethyl-4-[[4-(3-
methyl-2-butenyl)-1-**piperazinyl][3-[(2-**
thienyl)methyl]amino]phenyl)methyl]benzamide trifluoroacetate (1:1.4)
691879-02-4P, (R)-4-[[4-(Cyclopropylmethyl)-1-**piperazinyl**
] [3-[(2-thienylmethyl)amino]phenyl)methyl]-N,N-diethylbenzamide
trifluoroacetate (1:2.4) **691879-03-5P**, (S)-4-[[3-
(Cyclohexylamino)phenyl][4-(cyclopropylmethyl)piperazin-1-yl)methyl]-N,N-
diethylbenzamide hydrochloride (1:3.2) **691879-04-6P**,
(S)-4-[[3-(Cyclohexylamino)phenyl][4-propylpiperazin-1-yl)methyl]-N,N-
diethylbenzamide hydrochloride (1:4.3) **691879-05-7P**,
(S)-4-[[3-(Cyclohexylamino)phenyl][4-ethylpiperazin-1-yl)methyl]-N,N-
diethylbenzamide pentahydrochloride **691879-06-8P**,
(S)-4-[[4-Allylpiperazin-1-yl][3-(cyclohexylamino)phenyl)methyl]-N,N-
diethylbenzamide hydrochloride (1:4.4) **691879-07-9P**,
(S)-4-[[3-[(Cyclohexylcarbonyl)amino]phenyl](piperazin-1-yl)methyl]-N,N-
diethylbenzamide tetrahydrochloride **691879-08-0P**,
(S)-4-[[3-[(Cyclohexylacetyl)amino]phenyl](piperazin-1-yl)methyl]-N,N-
diethylbenzamide hydrochloride (1:0.4) **691879-09-1P**,
(S)-4-[[3-[Cyclohexyl(methyl)amino]phenyl](piperazin-1-yl)methyl]-N,N-
diethylbenzamide hydrochloride (1:4.1) **691879-10-4P**,
(R)-4-[[3-[Cyclohexyl(methyl)amino]phenyl](piperazin-1-yl)methyl]-N,N-
diethylbenzamide hydrochloride (1:4.8) **691879-17-1P**,
(R)-4-[(3-Aminophenyl)[4-(cyclopropylmethyl)-1-**piperazinyl**
]methyl]-N,N-diethylbenzamide hydrochloride (1:3.8) **693259-21-1P**
, (R)-4-[[3-(Benzylamino)phenyl](piperazin-1-yl)methyl]-N,N-
diethylbenzamide trifluoroacetate (1:1.8)
RL: PAC (Pharmacological activity); RCT (Reactant); SPN (Synthetic
preparation); THU (Therapeutic use); BIOL (Biological study); PREP
(Preparation); RACT (Reactant or reagent); USES (Uses)
(δ receptor agonist; preparation of (**phenylpiperazinylmethyl**
)benzamides as δ receptor agonists for treatment of pain,
anxiety, or gastrointestinal disorders)

RN 691877-84-6 HCAPLUS


CN Benzamide, N,N-diethyl-4-[(S)-1-piperazinyl[3-[(2-
thiazolylmethyl)amino]phenyl)methyl]-, trifluoroacetate (5:8) (9CI) (CA
INDEX NAME)

CM 1

CRN 691877-68-6

CMF C26 H33 N5 O S


Absolute stereochemistry.



CM 2

CRN 76-05-1


CMF C2 H F3 O2



RN 691877-93-7 HCAPLUS

CN Benzamide, 4-[(S)-[3-(cyclohexylamino)phenyl]-1-piperazinylmethyl]-N,N-diethyl- (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (+).



RN 691878-16-7 HCAPLUS


CN Benzamide, N,N-diethyl-4-[(S)-1-piperazinyl[3-(propylamino)phenyl]methyl]-, trifluoroacetate (5:12) (9CI) (CA INDEX NAME)

CM 1

CRN 691878-14-5

CMF C25 H36 N4 O


Absolute stereochemistry. Rotation (+).



CM 2

CRN 76-05-1

CMF C2 H F3 O2



RN 691878-17-8 HCAPLUS


CN Benzamide, 4-[(S)-[3-(dipropylamino)phenyl]-1-piperazinylmethyl]-N,N-diethyl-, trifluoroacetate (9CI) (CA INDEX NAME)

CM 1

CRN 691878-15-6


CMF C28 H42 N4 O

Absolute stereochemistry.




CM 2

CRN 76-05-1
CMF C2 H F3 O2



RN 691878-18-9 HCAPLUS
CN Benzamide, N,N-diethyl-4-[(R)-1-piperazinyl[3-(propylamino)phenyl]methyl]-
(9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (-).




RN 691878-20-3 HCAPLUS
CN Benzamide, N,N-diethyl-4-[(R)-1-piperazinyl[3-(propylamino)phenyl]methyl]-
, trifluoroacetate (5:18) (9CI) (CA INDEX NAME)

CM 1


CRN 691878-18-9
CMF C25 H36 N4 O

Absolute stereochemistry. Rotation (-).



CM 2

CRN 76-05-1
CMF C2 H F3 O2




RN 691878-22-5 HCAPLUS
CN Benzamide, N,N-diethyl-4-[(S)-1-piperazinyl[3-[[[4-(3-pyridinyl)phenyl]methyl]amino]phenyl]methyl]-, trifluoroacetate (10:33)
(9CI) (CA INDEX NAME)


CM 1

CRN 691878-21-4
CMF C34 H39 N5 O

Absolute stereochemistry. Rotation (+).



CM 2


CRN 76-05-1
CMF C2 H F3 O2

RN 691878-24-7 HCAPLUS
 CN Benzamide, N,N-diethyl-4-[(S)-[3-[[[4-(1H-imidazol-1-yl)phenyl]methyl]amino]phenyl]-1-piperazinylmethyl]-, tris(trifluoroacetate) (9CI) (CA INDEX NAME)


CM 1

CRN 691878-23-6
CMF C32 H38 N6 O

Absolute stereochemistry. Rotation (-).



CM 2


CRN 76-05-1
CMF C2 H F3 O2

RN 691878-26-9 HCAPLUS
 CN Benzamide, N,N-diethyl-4-[(S)-1-piperazinyl[3-[(2-quinolinylmethyl)amino]phenyl]methyl]-, trifluoroacetate (5:18) (9CI) (CA INDEX NAME)

CM 1


CRN 691878-25-8
 CMF C32 H37 N5 O

Absolute stereochemistry. Rotation (+).



CM 2

CRN 76-05-1
 CMF C2 H F3 O2




RN 691878-28-1 HCAPLUS
 CN Benzamide, 4-[(R)-[3-[(2,2-diphenylethyl)amino]phenyl]-1-piperazinylmethyl]-N,N-diethyl-, trifluoroacetate (5:14) (9CI) (CA INDEX NAME)

CM 1

CRN 691878-27-0
 CMF C36 H42 N4 O


Absolute stereochemistry. Rotation (+).



CM 2

CRN 76-05-1

CMF C2 H F3 O2



RN 691878-30-5 HCAPLUS


CN Benzamide, 4-[(R)-[3-[[[4-(1,1-dimethylethyl)phenyl]methyl]amino]phenyl]-1-piperazinylmethyl]-N,N-diethyl-, trifluoroacetate (5:21) (9CI) (CA INDEX NAME)

CM 1

CRN 691878-29-2

CMF C33 H44 N4 O


Absolute stereochemistry. Rotation (-).



CM 2

CRN 76-05-1

CMF C2 H F3 O2



RN 691878-32-7 HCAPLUS


CN Benzamide, N,N-diethyl-4-[(R)-[3-[[[4-phenoxyphenyl)methyl]amino]phenyl]-1-piperazinylmethyl]-, trifluoroacetate (10:23) (9CI) (CA INDEX NAME)

CM 1

CRN 691878-31-6

CMF C35 H40 N4 O2


Absolute stereochemistry. Rotation (-).



CM 2

CRN 76-05-1


CMF C2 H F3 O2



RN 691878-34-9 HCAPLUS

CN Benzamide, 4-[(R)-[3-aminophenyl][4-(2-methoxyethyl)-1-piperazinyl]methyl]-N,N-diethyl- (9CI) (CA INDEX NAME)


Absolute stereochemistry. Rotation (-).



RN 691878-35-0 HCAPLUS

CN Benzamide, 4-[(R)-(3-aminophenyl)[4-(3-methoxypropyl)-1-piperazinyl]methyl]-N,N-diethyl- (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (-).



RN 691878-38-3 HCAPLUS


CN Benzamide, N,N-diethyl-4-[(R)-[4-(3-methoxypropyl)-1-piperazinyl][3-(propylamino)phenyl]methyl]-, bis(trifluoroacetate) (9CI) (CA INDEX NAME)

CM 1

CRN 691878-37-2

CMF C29 H44 N4 O2


Absolute stereochemistry. Rotation (-).



CM 2

CRN 76-05-1


CMF C2 H F3 O2



RN 691878-42-9 HCAPLUS

CN Benzamide, 4-[(R)-(3-aminophenyl)[4-(2-propenyl)-1-piperazinyl]methyl]-N,N-diethyl- (9CI) (CA INDEX NAME)


Absolute stereochemistry. Rotation (+).



RN 691878-44-1 HCAPLUS

CN Benzamide, 4-[(R)-(3-aminophenyl)[4-(3-methyl-2-butenyl)-1-piperazinyl]methyl]-N,N-diethyl- (9CI) (CA INDEX NAME)


Absolute stereochemistry. Rotation (+).



RN 691878-45-2 HCAPLUS

CN Benzamide, 4-[(R)-(3-aminophenyl)[4-(cyclopropylmethyl)-1-piperazinyl]methyl]-N,N-diethyl- (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (+).



RN 691878-61-2 HCAPLUS


CN Benzamide, N,N-diethyl-4-[(R)-1-piperazinyl[3-[(2-thiazolylmethyl)amino]phenyl]methyl]-, trifluoroacetate (5:12) (9CI) (CA INDEX NAME)

CM 1

CRN 691877-69-7

CMF C26 H33 N5 O S


Absolute stereochemistry. Rotation (-).



CM 2

CRN 76-05-1

CMF C2 H F3 O2



RN 691878-62-3 HCAPLUS


CN Benzamide, N,N-diethyl-4-[(S)-[3-[(phenylmethyl)amino]phenyl]-1-piperazinylmethyl]-, trifluoroacetate (5:13) (9CI) (CA INDEX NAME)

CM 1

CRN 691877-70-0


CMF C29 H36 N4 O

Absolute stereochemistry. Rotation (+).



CM 2

CRN 76-05-1
CMF C2 H F3 O2




RN 691878-63-4 HCAPLUS
CN Benzamide, N,N-diethyl-4-[(R)-1-piperazinyl[3-[(2-thienylmethyl)amino]phenyl)methyl]-, bis(trifluoroacetate) (9CI) (CA INDEX NAME)

CM 1


CRN 691877-71-1
CMF C27 H34 N4 O S

Absolute stereochemistry. Rotation (-).



CM 2

CRN 76-05-1
CMF C2 H F3 O2




RN 691878-64-5 HCAPLUS
CN Benzamide, N,N-diethyl-4-[(S)-1-piperazinyl[3-[(2-thienylmethyl)amino]phenyl)methyl]-, tris(trifluoroacetate) (9CI) (CA INDEX NAME)

CM 1


CRN 691877-72-2
CMF C27 H34 N4 O S

Absolute stereochemistry. Rotation (+).



CM 2

CRN 76-05-1
CMF C2 H F3 O2




RN 691878-65-6 HCAPLUS
CN Benzamide, N,N-diethyl-4-[(S)-[3-[(2-furanylmethyl)amino]phenyl]-1-piperazinylmethyl]-, trifluoroacetate (2:5) (9CI) (CA INDEX NAME)

CM 1


CRN 691877-73-3
CMF C27 H34 N4 O2

Absolute stereochemistry. Rotation (+).



CM 2

CRN 76-05-1
CMF C2 H F3 O2




RN 691878-66-7 HCAPLUS
CN Benzamide, N,N-diethyl-4-[(R)-[3-[(2-furanylmethyl)amino]phenyl]-1-piperazinylmethyl]-, tris(trifluoroacetate) (9CI) (CA INDEX NAME)

CM 1


CRN 691877-75-5
CMF C27 H34 N4 O2

Absolute stereochemistry. Rotation (-).



CM 2

CRN 76-05-1
CMF C2 H F3 O2




RN 691878-67-8 HCAPLUS
CN Benzamide, N,N-diethyl-4-[(R)-1-piperazinyl[3-[(3-thienylmethyl)amino]phenyl)methyl]-, bis(trifluoroacetate) (9CI) (CA INDEX NAME)

CM 1


CRN 691877-76-6
CMF C27 H34 N4 O S

Absolute stereochemistry. Rotation (-).



CM 2

CRN 76-05-1
CMF C2 H F3 O2




RN 691878-68-9 HCAPLUS
CN Benzamide, N,N-diethyl-4-[(S)-1-piperazinyl[3-[(3-thienylmethyl)amino]phenyl)methyl]-, trifluoroacetate (5:14) (9CI) (CA INDEX NAME)

CM 1


CRN 691877-77-7
CMF C27 H34 N4 O S

Absolute stereochemistry. Rotation (+).



CM 2

CRN 76-05-1
CMF C2 H F3 O2




RN 691878-69-0 HCAPLUS
CN Benzamide, N,N-diethyl-4-[(R)-[3-[(3-furanylmethyl)amino]phenyl]-1-piperazinylmethyl]-, trifluoroacetate (5:9) (9CI) (CA INDEX NAME)

CM 1

CRN 691877-78-8
CMF C27 H34 N4 O2


Absolute stereochemistry. Rotation (-).



CM 2

CRN 76-05-1

CMF C2 H F3 O2



RN 691878-70-3 HCAPLUS


CN Benzamide, N,N-diethyl-4-[(R)-[3-[(2-phenylethyl)amino]phenyl]-1-piperazinylmethyl]-, trifluoroacetate (10:19) (9CI) (CA INDEX NAME)

CM 1

CRN 691877-79-9


CMF C30 H38 N4 O

Absolute stereochemistry. Rotation (-).



CM 2

CRN 76-05-1
CMF C2 H F3 O2




RN 691878-71-4 HCAPLUS
CN Benzamide, N,N-diethyl-4-[(R)-1-piperazinyl[3-[[[4-(trifluoromethyl)phenyl]methyl]amino]phenyl]methyl]-, trifluoroacetate (5:7) (9CI) (CA INDEX NAME)

CM 1


CRN 691877-81-3
CMF C30 H35 F3 N4 O

Absolute stereochemistry. Rotation (-).



CM 2

CRN 76-05-1
CMF C2 H F3 O2




RN 691878-72-5 HCAPLUS
CN Benzamide, 4-[(S)-[3-[(cyclohexylmethyl)amino]phenyl]-1-piperazinylmethyl]-N,N-diethyl-, trifluoroacetate (5:14) (9CI) (CA INDEX NAME)

CM 1


CRN 691877-83-5
CMF C29 H42 N4 O

Absolute stereochemistry. Rotation (+).



CM 2

CRN 76-05-1
CMF C2 H F3 O2




RN 691878-73-6 HCAPLUS
CN Benzamide, 4-[(R)-[3-[(1-cyclohexen-1-ylmethyl)amino]phenyl]-1-piperazinylmethyl]-N,N-diethyl-, trifluoroacetate (10:29) (9CI) (CA INDEX NAME)

CM 1

CRN 691877-85-7
CMF C29 H40 N4 O


Absolute stereochemistry. Rotation (-).



CM 2

CRN 76-05-1

CMF C2 H F3 O2



RN 691878-75-8 HCAPLUS


CN Benzamide, 4-[(R)-[3-(cyclohexylamino)phenyl]-1-piperazinylmethyl]-N,N-diethyl-, trifluoroacetate (10:23) (9CI) (CA INDEX NAME)

CM 1

CRN 691878-74-7


CMF C28 H40 N4 O

Absolute stereochemistry. Rotation (-).



CM 2

CRN 76-05-1
CMF C2 H F3 O2




RN 691878-76-9 HCAPLUS
CN Benzamide, 4-[(R)-[3-(cyclopentylamino)phenyl]-1-piperazinylmethyl]-N,N-diethyl-, trifluoroacetate (5:13) (9CI) (CA INDEX NAME)

CM 1


CRN 691877-89-1
CMF C27 H38 N4 O

Absolute stereochemistry. Rotation (-).



CM 2

CRN 76-05-1
CMF C2 H F3 O2




RN 691878-77-0 HCAPLUS
CN Benzamide, 4-[(R)-[3-(cycloheptylamino)phenyl]-1-piperazinylmethyl]-N,N-diethyl-, trifluoroacetate (2:5) (9CI) (CA INDEX NAME)

CM 1

CRN 691877-90-4

CMF C29 H42 N4 O


Absolute stereochemistry. Rotation (-).



CM 2

CRN 76-05-1

CMF C2 H F3 O2



RN 691878-78-1 HCAPLUS


CN Benzamide, 4-[(R)-[3-(cyclooctylamino)phenyl]-1-piperazinylmethyl]-N,N-diethyl-, trifluoroacetate (5:13) (9CI) (CA INDEX NAME)

CM 1


CRN 691877-91-5

CMF C30 H44 N4 O

Absolute stereochemistry. Rotation (-).



CM 2


CRN 76-05-1
CMF C2 H F3 O2

RN 691878-79-2 HCAPLUS
 CN Benzamide, 4-[(R)-[3-(cyclononylamino)phenyl]-1-piperazinylmethyl]-N,N-diethyl-, trifluoroacetate (5:13) (9CI) (CA INDEX NAME)


CM 1

CRN 691877-92-6
CMF C31 H46 N4 O

Absolute stereochemistry. Rotation (-).



CM 2


CRN 76-05-1
CMF C2 H F3 O2

RN 691878-80-5 HCAPLUS
 CN Benzamide, 4-[(S)-[3-(cyclohexylamino)phenyl]-1-piperazinylmethyl]-N,N-diethyl-, trifluoroacetate (2:5) (9CI) (CA INDEX NAME)


CM 1

CRN 691877-93-7
CMF C28 H40 N4 O

Absolute stereochemistry. Rotation (+).



CM 2


CRN 76-05-1
CMF C2 H F3 O2

RN 691878-81-6 HCAPLUS
 CN Benzamide, 4-[(R)-[3-(benzoylamino)phenyl]-1-piperazinylmethyl]-N,N-diethyl-, trifluoroacetate (5:8) (9CI) (CA INDEX NAME)

CM 1


CRN 691877-99-3
CMF C29 H34 N4 O2

Absolute stereochemistry. Rotation (-).



CM 2

CRN 76-05-1
CMF C2 H F3 O2




RN 691878-82-7 HCAPLUS
CN Benzeneacetamide, N-[3-[(R)-[4-[(diethylamino)carbonyl]phenyl]-1-piperazinylmethyl]phenyl]-, trifluoroacetate (10:9) (9CI) (CA INDEX NAME)

CM 1


CRN 691878-00-9
CMF C30 H36 N4 O2

Absolute stereochemistry. Rotation (-).



CM 2

CRN 76-05-1
CMF C2 H F3 O2




RN 691878-83-8 HCAPLUS
CN Benzamide, 4-[(S)-[3-(benzoylamino)phenyl]-1-piperazinylmethyl]-N,N-diethyl-, trifluoroacetate (10:19) (9CI) (CA INDEX NAME)

CM 1


CRN 691878-01-0
CMF C29 H34 N4 O2

Absolute stereochemistry. Rotation (+).



CM 2

CRN 76-05-1
CMF C2 H F3 O2




RN 691878-84-9 HCAPLUS
CN Benzeneacetamide, N-[3-[(S)-[4-[(diethylamino)carbonyl]phenyl]-1-piperazinylmethyl]phenyl]-, trifluoroacetate (5:9) (9CI) (CA INDEX NAME)

CM 1

CRN 691878-02-1

CMF C30 H36 N4 O2


Absolute stereochemistry. Rotation (+).



CM 2

CRN 76-05-1

CMF C2 H F3 O2



RN 691878-85-0 HCAPLUS


CN Benzeneacetamide, N-[3-[(R)-[4-[(diethylamino)carbonyl]phenyl]-1-piperazinylmethyl]phenyl]- α,α -dimethyl-, trifluoroacetate
(2:3) (9CI) (CA INDEX NAME)

CM 1

CRN 691878-03-2

CMF C32 H40 N4 O2


Absolute stereochemistry. Rotation (-).



CM 2

CRN 76-05-1

CMF C2 H F3 O2



RN 691878-86-1 HCAPLUS


CN Benzeneacetamide, N-[3-[(R)-[4-[(diethylamino)carbonyl]phenyl]-1-piperazinylmethyl]phenyl]-3-fluoro-, trifluoroacetate (5:7) (9CI) (CA INDEX NAME)

CM 1


CRN 691878-04-3

CMF C30 H35 F N4 O2

Absolute stereochemistry. Rotation (-).



CM 2


CRN 76-05-1
CMF C2 H F3 O2

RN 691878-87-2 HCAPLUS
CN Benzamide, N,N-diethyl-4-[(R)-[3-[(phenylmethyl)sulfonyl]amino]phenyl]-1-piperazinylmethyl]-, trifluoroacetate (5:3) (9CI) (CA INDEX NAME)


CM 1

CRN 691878-11-2
CMF C29 H36 N4 O3 S

Absolute stereochemistry. Rotation (-).



CM 2


CRN 76-05-1
CMF C2 H F3 O2

RN 691878-89-4 HCAPLUS
CN Benzamide, N,N-diethyl-4-[(S)-[3-[(phenylsulfonyl)amino]phenyl]-1-piperazinylmethyl]-, trifluoroacetate (10:19) (9CI) (CA INDEX NAME)

CM 1


CRN 691878-88-3
CMF C28 H34 N4 O3 S

Absolute stereochemistry. Rotation (+).



CM 2

CRN 76-05-1
CMF C2 H F3 O2




RN 691878-90-7 HCAPLUS
CN Benzamide, N,N-diethyl-4-[(R)-[3-[[(phenylamino) carbonyl] amino] phenyl]-1-piperazinylmethyl]-, bis(trifluoroacetate) (9CI) (CA INDEX NAME)

CM 1

CRN 691878-12-3
CMF C29 H35 N5 O2


Absolute stereochemistry. Rotation (-).



CM 2

CRN 76-05-1

CMF C2 H F3 O2



RN 691878-91-8 HCAPLUS


CN Benzamide, 4-[(R)-[3-(dipropylamino)phenyl]-1-piperazinylmethyl]-N,N-diethyl-, trifluoroacetate (5:21) (9CI) (CA INDEX NAME)

CM 1

CRN 691878-19-0


CMF C28 H42 N4 O

Absolute stereochemistry. Rotation (-).



CM 2

CRN 76-05-1
CMF C2 H F3 O2




RN 691878-92-9 HCAPLUS
CN Benzamide, N,N-diethyl-4-[(R)-[4-(2-propenyl)-1-piperazinyl][3-(propylamino)phenyl]methyl]-, trifluoroacetate (10:27) (9CI) (CA INDEX NAME)

CM 1


CRN 691878-33-8
CMF C28 H40 N4 O

Absolute stereochemistry. Rotation (-).




CM 2

CRN 76-05-1
CMF C2 H F3 O2



RN 691878-93-0 HCAPLUS
CN Benzamide, 4-[(R)-(3-aminophenyl)[4-(2-methoxyethyl)-1-piperazinyl]methyl]-N,N-diethyl-, hydrochloride (5:16) (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (-).




●16/5 HCl

RN 691878-94-1 HCAPLUS

CN Benzamide, 4-[(R)-(3-aminophenyl)[4-(3-methoxypropyl)-1-piperazinylmethyl]-N,N-diethyl-, tetrahydrochloride (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (-).



●4 HCl

RN 691878-95-2 HCAPLUS


CN Benzamide, N,N-diethyl-4-[(R)-[4-(2-methoxyethyl)-1-piperazinyl][3-(propylamino)phenylmethyl]-, trifluoroacetate (5:13) (9CI) (CA INDEX NAME)

CM 1

CRN 691878-36-1

CMF C28 H42 N4 O2


Absolute stereochemistry. Rotation (-).



CM 2

CRN 76-05-1

CMF C2 H F3 O2



RN 691878-96-3 HCAPLUS


CN Benzamide, 4-[(S)-[3-(cycloheptylamino)phenyl]-1-piperazinylmethyl]-N,N-diethyl-, trifluoroacetate (10:29) (9CI) (CA INDEX NAME)

CM 1


CRN 691878-39-4

CMF C29 H42 N4 O

Absolute stereochemistry. Rotation (+).



CM 2


CRN 76-05-1
CMF C2 H F3 O2

RN 691878-97-4 HCAPLUS
 CN Benzamide, 4-[(S)-[3-(cyclooctylamino)phenyl]-1-piperazinylmethyl]-N,N-diethyl-, trifluoroacetate (5:14) (9CI) (CA INDEX NAME)


CM 1

CRN 691878-40-7
CMF C30 H44 N4 O

Absolute stereochemistry. Rotation (+).




CM 2

CRN 76-05-1
CMF C2 H F3 O2

RN 691878-98-5 HCAPLUS
 CN Benzamide, 4-[(R)-[3-(aminophenyl)[4-(2-propenyl)-1-piperazinyl]methyl]-N,N-diethyl-, trihydrochloride (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (+).




● 3 HCl

RN 691878-99-6 HCAPLUS

CN Benzamide, 4-[(R)-(3-aminophenyl)[4-(3-methyl-2-butenyl)-1-piperazinyl]methyl]-N,N-diethyl-, hydrochloride (5:19) (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (+).



● 19/5 HCl

RN 691879-00-2 HCAPLUS


CN Benzamide, N,N-diethyl-4-[(R)-[4-(2-propenyl)-1-piperazinyl][3-[(2-thienylmethyl)amino]phenyl]methyl]-, trifluoroacetate (10:23) (9CI) (CA INDEX NAME)

CM 1

CRN 691878-46-3

CMF C30 H38 N4 O S


Absolute stereochemistry. Rotation (-).



CM 2

CRN 76-05-1

CMF C2 H F3 O2



RN 691879-01-3 HCAPLUS


CN Benzamide, N,N-diethyl-4-[(R)-[4-(3-methyl-2-butenyl)-1-piperazinyl][3-[(2-thienylmethyl)amino]phenyl)methyl]-, trifluoroacetate (5:7) (9CI) (CA INDEX NAME)

CM 1

CRN 691878-47-4

CMF C32 H42 N4 O S


Absolute stereochemistry. Rotation (-).



CM 2

CRN 76-05-1

CMF C2 H F3 O2



RN 691879-02-4 HCAPLUS


CN Benzamide, 4-[(R)-[4-(cyclopropylmethyl)-1-piperazinyl][3-[(2-thienylmethyl)amino]phenyl)methyl]-N,N-diethyl-, trifluoroacetate (5:12)
(9CI) (CA INDEX NAME)

CM 1

CRN 691878-48-5

CMF C31 H40 N4 O S


Absolute stereochemistry. Rotation (-).



CM 2

CRN 76-05-1


CMF C2 H F3 O2



RN 691879-03-5 HCAPLUS

CN Benzamide, 4-[(S)-[3-(cyclohexylamino)phenyl][4-(cyclopropylmethyl)-1-piperazinyl)methyl]-N,N-diethyl-, hydrochloride (5:16) (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (+).




●16/5 HCl

RN 691879-04-6 HCAPLUS

CN Benzamide, 4-[(S)-[3-(cyclohexylamino)phenyl](4-propyl-1-piperazinyl)methyl]-N,N-diethyl-, hydrochloride (10:43) (9CI) (CA INDEX NAME)


Absolute stereochemistry. Rotation (+).



●43/10 HCl

RN 691879-05-7 HCAPLUS
 CN Benzamide, 4-[(S)-[3-(cyclohexylamino)phenyl][4-ethyl-1-piperazinyl)methyl]-N,N-diethyl-, pentahydrochloride (9CI) (CA INDEX NAME)


Absolute stereochemistry. Rotation (+).



●5 HCl

RN 691879-06-8 HCAPLUS
 CN Benzamide, 4-[(S)-[3-(cyclohexylamino)phenyl][4-(2-propenyl)-1-piperazinyl)methyl]-N,N-diethyl-, hydrochloride (5:22) (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (+).




●22/5 HCl

RN 691879-07-9 HCAPLUS

CN Benzamide, 4-[(S)-[3-[(cyclohexylcarbonyl)amino]phenyl]-1-piperazinylmethyl]-N,N-diethyl-, tetrahydrochloride (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (+).




●4 HCl

RN 691879-08-0 HCAPLUS

CN Benzamide, 4-[(S)-[3-[(cyclohexylacetyl)amino]phenyl]-1-piperazinylmethyl]-N,N-diethyl-, hydrochloride (5:2) (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (+).




●2/5 HCl

RN 691879-09-1 HCAPLUS

CN Benzamide, 4-[(R)-[3-(cyclohexylmethylamino)phenyl]-1-piperazinylmethyl]-N,N-diethyl-, hydrochloride (10:41) (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (+).




●41/10 HCl

RN 691879-10-4 HCAPLUS

CN Benzamide, 4-[(R)-[3-(cyclohexylmethyl(methyl)amino)phenyl]-1-piperazinylmethyl]-N,N-diethyl-, hydrochloride (5:24) (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (-).




●24/5 HCl

RN 691879-17-1 HCAPLUS

CN Benzamide, 4-[(R)-(3-aminophenyl)[4-(cyclopropylmethyl)-1-piperazinyl]methyl]-N,N-diethyl-, hydrochloride (5:19) (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (+).



●19/5 HCl

RN 693259-21-1 HCAPLUS


CN Benzamide, N,N-diethyl-4-[(R)-[3-[(phenylmethyl)amino]phenyl]-1-piperazinylmethyl]-, trifluoroacetate (5:9) (9CI) (CA INDEX NAME)

CM 1

CRN 691877-74-4

CMF C29 H36 N4 O


Absolute stereochemistry. Rotation (-).



CM 2

CRN 76-05-1

CMF C2 H F3 O2



IT 691877-68-6P, (S)-N,N-Diethyl-4-[(piperazin-1-yl)[3-[(1,3-thiazol-2-ylmethyl)amino]phenyl]methyl]benzamide 691877-69-7P, (R)-N,N-Diethyl-4-[(piperazin-1-yl)[3-[(1,3-thiazol-2-ylmethyl)amino]phenyl]methyl]benzamide 691877-70-0P, (S)-4-[[3-(Benzylamino)phenyl](piperazin-1-yl)methyl]-N,N-diethylbenzamide 691877-71-1P, (R)-N,N-Diethyl-4-[(piperazin-1-yl)[3-[(thien-2-ylmethyl)amino]phenyl]methyl]benzamide 691877-72-2P, (S)-N,N-Diethyl-4-[(piperazin-1-yl)[3-[(thien-2-ylmethyl)amino]phenyl]methyl]benzamide 691877-73-3P, (S)-N,N-Diethyl-4-[[3-[(2-furylmethyl)amino]phenyl](piperazin-1-yl)methyl]benzamide 691877-74-4P, (R)-4-[[3-(Benzylamino)phenyl](piperazin-1-yl)methyl]-N,N-diethylbenzamide 691877-75-5P, (R)-N,N-Diethyl-4-[[3-[(2-furylmethyl)amino]phenyl](piperazin-1-yl)methyl]benzamide 691877-76-6P, (R)-N,N-Diethyl-4-[(piperazin-1-yl)[3-[(thien-3-ylmethyl)amino]phenyl]methyl]benzamide 691877-77-7P, (S)-N,N-Diethyl-4-[(piperazin-1-yl)[3-[(thien-3-ylmethyl)amino]phenyl]methyl]benzamide 691877-78-8P, (R)-N,N-Diethyl-4-[[3-[(3-furylmethyl)amino]phenyl](piperazin-1-yl)methyl]benzamide 691877-79-9P 691877-80-2P, (R)-4-[[3-[(Cyclohexylmethyl)amino]phenyl](piperazin-1-yl)methyl]-N,N-diethylbenzamide 691877-81-3P, (R)-N,N-Diethyl-4-[(piperazin-1-yl)[3-[(4-trifluoromethylbenzyl)amino]phenyl]methyl]benzamide 691877-82-4P, (R)-4-[[3-[(Cyclopentylmethyl)amino]phenyl](piperazin-1-yl)methyl]-N,N-diethylbenzamide hydrochloride (1:0.6) 691877-83-5P, (S)-4-[[3-[(Cyclohexylmethyl)amino]phenyl](piperazin-1-yl)methyl]-N,N-diethylbenzamide 691877-85-7P, (R)-4-[[3-[(Cyclohex-1-en-1-ylmethyl)amino]phenyl](piperazin-1-yl)methyl]-N,N-diethylbenzamide 691877-86-8P, (S)-N,N-Diethyl-4-[[3-

[methyl(phenyl)amino]phenyl] (piperazin-1-yl)methyl]benzamide hydrochloride
691877-87-9P, (S)-N,N-Diethyl-4-[[3-[ethyl(phenyl)amino]phenyl](piperazin-1-yl)methyl]benzamide hydrochloride **691877-88-0P**,
 (R)-N,N-Diethyl-4-[[3-[ethyl(phenyl)amino]phenyl](piperazin-1-yl)methyl]benzamide hydrochloride **691877-89-1P**,
 (R)-4-[[3-(Cyclopentylamino)phenyl](piperazin-1-yl)methyl]-N,N-diethylbenzamide **691877-90-4P**, (R)-4-[[3-(Cycloheptylamino)phenyl](piperazin-1-yl)methyl]-N,N-diethylbenzamide **691877-91-5P**, (R)-4-[[3-(Cyclooctylamino)phenyl](piperazin-1-yl)methyl]-N,N-diethylbenzamide **691877-92-6P**,
 (R)-4-[[3-(Cyclononylamino)phenyl](piperazin-1-yl)methyl]-N,N-diethylbenzamide **691877-94-8P**, (R)-N,N-Diethyl-4-[[3-[(4-methylphenyl)amino]phenyl](piperazin-1-yl)methyl]benzamide hydrochloride (1:2.9) **691877-95-9P**, (S)-N,N-Diethyl-4-[[3-[(4-methylphenyl)amino]phenyl](piperazin-1-yl)methyl]benzamide trihydrochloride **691877-96-0P**, (R)-4-[[3-[(3-Chlorophenyl)amino]phenyl](piperazin-1-yl)methyl]-N,N-diethylbenzamide hydrochloride (1:2.9) **691877-97-1P**, (S)-4-[[3-[(3-Chlorophenyl)amino]phenyl](piperazin-1-yl)methyl]-N,N-diethylbenzamide hydrochloride **691877-98-2P**, (R)-4-[[3-[(2-Fluorophenyl)amino]phenyl](piperazin-1-yl)methyl]-N,N-diethylbenzamide hydrochloride (1:2.9) **691877-99-3P**, (R)-4-[[3-(Benzoylamino)phenyl](piperazin-1-yl)methyl]-N,N-diethylbenzamide **691878-00-9P**, (R)-N,N-Diethyl-4-[[3-[(phenylacetyl)amino]phenyl](piperazin-1-yl)methyl]benzamide **691878-01-0P**,
 (S)-4-[[3-(Benzoylamino)phenyl](piperazin-1-yl)methyl]-N,N-diethylbenzamide **691878-02-1P**, (S)-N,N-Diethyl-4-[[3-[(phenylacetyl)amino]phenyl](piperazin-1-yl)methyl]benzamide **691878-03-2P**, (R)-N,N-Diethyl-4-[[3-[(2-methyl-2-phenylpropanoyl)amino]phenyl](piperazin-1-yl)methyl]benzamide **691878-04-3P**, (R)-N,N-Diethyl-4-[[3-[(3-fluorophenyl)acetyl]amino]phenyl](piperazin-1-yl)methyl]benzamide **691878-05-4P**, (R)-4-[[3-[(Cyclohexylacetyl)amino]phenyl](piperazin-1-yl)methyl]-N,N-diethylbenzamide **691878-07-6P**,
 (R)-N,N-Diethyl-4-[[3-[(3-phenylpropanoyl)amino]phenyl](piperazin-1-yl)methyl]benzamide **691878-08-7P**, (R)-4-[[3-[(Cyclohexylcarbonyl)amino]phenyl](piperazin-1-yl)methyl]-N,N-diethylbenzamide **691878-11-2P**, (R)-4-[[3-[(Benzylsulfonyl)amino]phenyl](piperazin-1-yl)methyl]-N,N-diethylbenzamide **691878-12-3P**, (R)-4-[[3-[(Anilino)carbonyl]amino]phenyl](piperazin-1-yl)methyl]-N,N-diethylbenzamide **691878-13-4P**,
 (R)-4-[[3-[(Anilino)carbonothioyl]amino]phenyl](piperazin-1-yl)methyl]-N,N-diethylbenzamide **691878-14-5P**, (S)-N,N-Diethyl-4-[(1-piperazinyl)[3-(propylamino)phenyl]methyl]benzamide **691878-15-6P**, (S)-4-[[3-(Dipropylamino)phenyl]piperazin-1-ylmethyl]-N,N-diethylbenzamide **691878-19-0P**,
 (R)-4-[[3-(Dipropylamino)phenyl]piperazin-1-ylmethyl]-N,N-diethylbenzamide **691878-21-4P**, (S)-N,N-Diethyl-4-[(1-piperazinyl)[3-[[4-(3-pyridinyl)phenyl]methyl]amino]phenyl]methyl]benzamide **691878-23-6P**, (S)-N,N-Diethyl-4-[[3-[[4-(1H-imidazol-1-yl)phenyl]methyl]amino]phenyl]piperazin-1-ylmethyl]benzamide **691878-25-8P**, (S)-N,N-Diethyl-4-[(1-piperazinyl)[3-[(2-quinolinyl)methyl]amino]phenyl]methyl]benzamide **691878-27-0P**, (R)-4-[[3-[(2,2-Diphenylethyl)amino]phenyl](piperazin-1-yl)methyl]-N,N-diethylbenzamide **691878-29-2P**,
 (R)-4-[[3-[[4-(1,1-Dimethylethyl)phenyl]methyl]amino]phenyl](piperazin-1-yl)methyl]-N,N-diethylbenzamide **691878-31-6P**,
 (R)-N,N-Diethyl-4-[[3-[[4-phenoxyphenyl]methyl]amino]phenyl](piperazin-1-yl)methyl]benzamide **691878-33-8P**, (R)-N,N-Diethyl-4-[[4-(2-propenyl)-1-piperazinyl][3-(propylamino)phenyl]methyl]benzamide

691878-36-1P, (R)-N,N-Diethyl-4-[[4-(2-methoxyethyl)-1-piperazinyl][3-(propylamino)phenyl]methyl]benzamide
691878-37-2P, (R)-N,N-Diethyl-4-[[4-(3-methoxypropyl)-1-piperazinyl][3-(propylamino)phenyl]methyl]benzamide
691878-40-7P, (S)-4-[[3-(Cyclooctylamino)phenyl](piperazin-1-yl)methyl]-N,N-diethylbenzamide **691878-41-8P**,
 (S)-N,N-Diethyl-4-[[3-[(3-phenylpropanoyl)amino]phenyl](piperazin-1-yl)methyl]benzamide hydrochloride (1:2.9) **691878-46-3P**,
 (R)-N,N-Diethyl-4-[[4-(2-propenyl)-1-piperazinyl][3-[(2-thienyl)methyl]amino]phenyl]methyl]benzamide **691878-47-4P**,
 (R)-N,N-Diethyl-4-[[4-(3-methyl-2-butenyl)-1-piperazinyl][3-[(2-thienyl)methyl]amino]phenyl]methyl]benzamide **691878-48-5P**,
 (R)-4-[[4-(Cyclopropylmethyl)-1-piperazinyl][3-[(2-thienyl)methyl]amino]phenyl]methyl]-N,N-diethylbenzamide
691878-49-6P, (S)-4-[[3-(Cyclohexylamino)phenyl][4-(cyclopropylmethyl)piperazin-1-yl]methyl]-N,N-diethylbenzamide
691878-50-9P, (S)-4-[[3-(Cyclohexylamino)phenyl](4-propylpiperazin-1-yl)methyl]-N,N-diethylbenzamide **691878-51-0P**,
 (S)-4-[[3-(Cyclohexylamino)phenyl](4-ethylpiperazin-1-yl)methyl]-N,N-diethylbenzamide **691878-52-1P**, (S)-4-[(4-Allylpiperazin-1-yl)[3-(cyclohexylamino)phenyl]methyl]-N,N-diethylbenzamide **691878-53-2P**,
 (S)-4-[[3-[(Cyclohexylcarbonyl)amino]phenyl](piperazin-1-yl)methyl]-N,N-diethylbenzamide **691878-54-3P**, (S)-4-[[3-[(Cyclohexylacetyl)amino]phenyl](piperazin-1-yl)methyl]-N,N-diethylbenzamide **691878-55-4P**, (S)-4-[[3-[(Cyclohexyl(methyl)amino]phenyl](piperazin-1-yl)methyl]-N,N-diethylbenzamide **691878-56-5P**, (R)-4-[[3-[(Cyclohexyl(methyl)amino]phenyl](piperazin-1-yl)methyl]-N,N-diethylbenzamide **691878-57-6P**, (S)-N,N-Diethyl-4-[[3-[(ethyl(phenyl)amino]phenyl](piperazin-1-yl)methyl]benzamide
691878-58-7P, (R)-N,N-Diethyl-4-[[3-[(methyl(phenyl)amino]phenyl](piperazin-1-yl)methyl]benzamide **691878-59-8P**,
 (R)-N,N-Diethyl-4-[[3-[(ethyl(phenyl)amino]phenyl](piperazin-1-yl)methyl]benzamide **691878-60-1P**, (S)-4-[[3-[(2-Fluorophenyl)amino]phenyl](piperazin-1-yl)methyl]-N,N-diethylbenzamide
691878-74-7P, (R)-4-[[3-[(Cyclohexylamino)phenyl](piperazin-1-yl)methyl]-N,N-diethylbenzamide **691878-88-3P**,
 (S)-N,N-Diethyl-4-[[3-[(phenylsulfonyl)amino]phenyl](piperazin-1-yl)methyl]benzamide **691879-16-0P**, (R)-N,N-Diethyl-4-[[3-[(phenylsulfonyl)amino]phenyl](piperazin-1-yl)methyl]benzamide
692726-52-6P 693259-12-0P, (R)-N,N-Diethyl-4-[[3-[(methyl(phenyl)amino]phenyl](piperazin-1-yl)methyl]benzamide hydrochloride
693259-13-1P, (S)-4-[[3-[(2-Fluorophenyl)amino]phenyl](piperazin-1-yl)methyl]-N,N-diethylbenzamide trihydrochloride **693259-14-2P**
693259-15-3P 693259-16-4P 693259-17-5P
693259-18-6P 693259-19-7P 693259-20-0P


RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(8 receptor agonist; preparation of (phenylpiperazinylmethyl)benzamides as 8 receptor agonists for treatment of pain, anxiety, or gastrointestinal disorders)

RN 691877-68-6 HCAPLUS

CN Benzamide, N,N-diethyl-4-[(S)-1-piperazinyl[3-[(2-thiazolylmethyl)amino]phenyl]methyl]- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 691877-69-7 HCAPLUS

CN Benzamide, N,N-diethyl-4-[(R)-1-piperazinyl[3-[(2-thiazolylmethyl)amino]phenyl]methyl]- (9CI) (CA INDEX NAME)


Absolute stereochemistry. Rotation (-).



RN 691877-70-0 HCAPLUS


CN Benzamide, N,N-diethyl-4-[(S)-[3-[(phenylmethyl)amino]phenyl]-1-piperazinyl)methyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (+).




RN 691877-71-1 HCAPLUS
CN Benzamide, N,N-diethyl-4-[(R)-1-piperazinyl[3-[(2-thienylmethyl)amino]phenyl]methyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (-).




RN 691877-72-2 HCAPLUS
CN Benzamide, N,N-diethyl-4-[(S)-1-piperazinyl[3-[(2-thienylmethyl)amino]phenyl]methyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (+).



RN 691877-73-3 HCAPLUS
CN Benzamide, N,N-diethyl-4-[(S)-[3-[(2-furanylmethyl)amino]phenyl]-1-piperazinylmethyl]- (9CI) (CA INDEX NAME)


Absolute stereochemistry. Rotation (+).



RN 691877-74-4 HCAPLUS

CN Benzamide, N,N-diethyl-4-[(R)-[3-[(phenylmethyl)amino]phenyl]-1-piperazinylmethyl]- (9CI) (CA INDEX NAME)


Absolute stereochemistry. Rotation (-).



RN 691877-75-5 HCAPLUS

CN Benzamide, N,N-diethyl-4-[(R)-[3-[(2-furanylmethyl)amino]phenyl]-1-piperazinylmethyl]- (9CI) (CA INDEX NAME)


Absolute stereochemistry. Rotation (-).



RN 691877-76-6 HCAPLUS

CN Benzamide, N,N-diethyl-4-[(R)-1-piperazinyl[3-[(3-thienylmethyl)amino]phenyl]methyl]- (9CI) (CA INDEX NAME)


Absolute stereochemistry. Rotation (-).



RN 691877-77-7 HCAPLUS

CN Benzamide, N,N-diethyl-4-[(S)-1-piperazinyl[3-[(3-thienylmethyl)amino]phenyl]methyl]- (9CI) (CA INDEX NAME)


Absolute stereochemistry. Rotation (+).



RN 691877-78-8 HCAPLUS

CN Benzamide, N,N-diethyl-4-[(R)-[3-[(3-furanylmethyl)amino]phenyl]-1-piperazinylmethyl]- (9CI) (CA INDEX NAME)


Absolute stereochemistry. Rotation (-).



RN 691877-79-9 HCAPLUS

CN Benzamide, N,N-diethyl-4-[(R)-[3-[(2-phenylethyl)amino]phenyl]-1-piperazinylmethyl]- (9CI) (CA INDEX NAME)


Absolute stereochemistry. Rotation (-).



RN 691877-80-2 HCAPLUS


CN Benzamide, 4-[(R)-[3-[(cyclohexylmethyl)amino]phenyl]-1-piperazinylmethyl]-N,N-diethyl- (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (-).




RN 691877-81-3 HCAPLUS
 CN Benzamide, N,N-diethyl-4-[(R)-1-piperazinyl[3-[[[4-(trifluoromethyl)phenyl]methyl]amino]phenyl]methyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (-).



RN 691877-82-4 HCAPLUS
 CN Benzamide, 4-[(R)-[3-[(cyclopentylmethyl)amino]phenyl]-1-piperazinylmethyl]-N,N-diethyl-, hydrochloride (5:3) (9CI) (CA INDEX NAME)


Absolute stereochemistry. Rotation (-).



● 3/5 HCl

RN 691877-83-5 HCAPLUS
 CN Benzamide, 4-[(S)-[3-[(cyclohexylmethyl)amino]phenyl]-1-piperazinylmethyl]-N,N-diethyl- (9CI) (CA INDEX NAME)


Absolute stereochemistry. Rotation (+).



RN 691877-85-7 HCAPLUS

CN Benzamide, 4-[(R)-[3-[(1-cyclohexen-1-ylmethyl)amino]phenyl]-1-piperazinylmethyl]-N,N-diethyl- (9CI) (CA INDEX NAME)


Absolute stereochemistry. Rotation (-).



RN 691877-86-8 HCAPLUS

CN Benzamide, N,N-diethyl-4-[(S)-[3-(methylphenylamino)phenyl]-1-piperazinylmethyl]-, hydrochloride (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (+).




● x HCl

RN 691877-87-9 HCAPLUS

CN Benzamide, N,N-diethyl-4-[(S)-[3-(ethylphenylamino)phenyl]-1-piperazinylmethyl]-, hydrochloride (9CI) (CA INDEX NAME)

Absolute stereochemistry.




● x HCl

RN 691877-88-0 HCAPLUS

CN Benzamide, N,N-diethyl-4-[(R)-[3-(ethylphenylamino)phenyl]-1-piperazinylmethyl]-, hydrochloride (9CI) (CA INDEX NAME)

Absolute stereochemistry.




●x HCl

RN 691877-89-1 HCAPLUS

CN Benzamide, 4-[(R)-[3-(cyclopentylamino)phenyl]-1-piperazinylmethyl]-N,N-diethyl- (9CI) (CA INDEX NAME)


Absolute stereochemistry. Rotation (-).



RN 691877-90-4 HCAPLUS

CN Benzamide, 4-[(R)-[3-(cycloheptylamino)phenyl]-1-piperazinylmethyl]-N,N-diethyl- (9CI) (CA INDEX NAME)


Absolute stereochemistry. Rotation (-).



RN 691877-91-5 HCAPLUS

CN Benzamide, 4-[(R)-[3-(cyclooctylamino)phenyl]-1-piperazinylmethyl]-N,N-diethyl- (9CI) (CA INDEX NAME)


Absolute stereochemistry. Rotation (-).



RN 691877-92-6 HCAPLUS


CN Benzamide, 4-[(R)-[3-(cyclononylamino)phenyl]-1-piperazinylmethyl]-N,N-diethyl- (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (-).



RN 691877-94-8 HCAPLUS
CN Benzamide, N,N-diethyl-4-[(R)-[3-[(4-methylphenyl)amino]phenyl]-1-piperazinylmethyl]-, hydrochloride (10:29) (9CI) (CA INDEX NAME)


Absolute stereochemistry. Rotation (-).



●29/10 HCl

RN 691877-95-9 HCAPLUS
CN Benzamide, N,N-diethyl-4-[(S)-[3-[(4-methylphenyl)amino]phenyl]-1-piperazinylmethyl]-, trihydrochloride (9CI) (CA INDEX NAME)


Absolute stereochemistry. Rotation (+).



●3 HCl

RN 691877-96-0 HCAPLUS
CN Benzamide, 4-[(R)-[3-[(3-chlorophenyl)amino]phenyl]-1-piperazinylmethyl]-N,N-diethyl-, hydrochloride (10:29) (9CI) (CA INDEX NAME)


Absolute stereochemistry. Rotation (-).



●29/10 HCl

RN 691877-97-1 HCAPLUS
 CN Benzamide, 4-[(S)-[3-[(3-chlorophenyl)amino]phenyl]-1-piperazinylmethyl]-N,N-diethyl-, hydrochloride (9CI) (CA INDEX NAME)


Absolute stereochemistry. Rotation (+).



●x HCl

RN 691877-98-2 HCAPLUS
 CN Benzamide, N,N-diethyl-4-[(R)-[3-[(2-fluorophenyl)amino]phenyl]-1-piperazinylmethyl]-, hydrochloride (10:29) (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (+).




●29/10 HCl

RN 691877-99-3 HCAPLUS

CN Benzamide, 4-[(R)-[3-(benzoylamino)phenyl]-1-piperazinylmethyl]-N,N-diethyl- (9CI) (CA INDEX NAME)


Absolute stereochemistry. Rotation (-).



RN 691878-00-9 HCAPLUS

CN Benzeneacetamide, N-[3-[(R)-[4-[(diethylamino)carbonyl]phenyl]-1-piperazinylmethyl]phenyl]- (9CI) (CA INDEX NAME)


Absolute stereochemistry. Rotation (-).



RN 691878-01-0 HCAPLUS

CN Benzamide, 4-[(S)-[3-(benzoylamino)phenyl]-1-piperazinylmethyl]-N,N-diethyl- (9CI) (CA INDEX NAME)


Absolute stereochemistry. Rotation (+).



RN 691878-02-1 HCAPLUS

CN Benzeneacetamide, N-[3-[(S)-[4-[(diethylamino)carbonyl]phenyl]-1-piperazinylmethyl]phenyl]- (9CI) (CA INDEX NAME)


Absolute stereochemistry. Rotation (+).



RN 691878-03-2 HCAPLUS

CN Benzeneacetamide, N-[3-[(R)-[4-[(diethylamino)carbonyl]phenyl]-1-piperazinylmethyl]phenyl]- α,α -dimethyl- (9CI) (CA INDEX NAME)


Absolute stereochemistry. Rotation (-).



RN 691878-04-3 HCAPLUS

CN Benzeneacetamide, N-[3-[(R)-[4-[(diethylamino)carbonyl]phenyl]-1-piperazinylmethyl]phenyl]-3-fluoro- (9CI) (CA INDEX NAME)


Absolute stereochemistry. Rotation (-).



RN 691878-05-4 HCAPLUS

CN Benzamide, 4-[(R)-[3-[(cyclohexylacetyl)amino]phenyl]-1-piperazinylmethyl]-N,N-diethyl- (9CI) (CA INDEX NAME)


Absolute stereochemistry. Rotation (-).



RN 691878-07-6 HCAPLUS

CN Benzenepropanamide, N-[3-[(R)-[4-[(diethylamino)carbonyl]phenyl]-1-piperazinylmethyl]phenyl]- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 691878-08-7 HCAPLUS

CN Benzamide, 4-[(R)-[3-[(cyclohexylcarbonyl)amino]phenyl]-1-piperazinylmethyl]-N,N-diethyl- (9CI) (CA INDEX NAME)


Absolute stereochemistry. Rotation (-).



RN 691878-11-2 HCAPLUS

CN Benzamide, N,N-diethyl-4-[(R)-[3-[(phenylmethyl)sulfonyl]amino]phenyl]-1-piperazinylmethyl]- (9CI) (CA INDEX NAME)


Absolute stereochemistry. Rotation (-).



RN 691878-12-3 HCAPLUS

CN Benzamide, N,N-diethyl-4-[(R)-[3-[(phenylamino)carbonyl]amino]phenyl]-1-piperazinylmethyl]- (9CI) (CA INDEX NAME)


Absolute stereochemistry. Rotation (-).



RN 691878-13-4 HCAPLUS

CN Benzenecarbothioamide, N,N-diethyl-4-[(R)-[3-[(phenylamino)methyl]amino]phenyl]-1-piperazinylmethyl]- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 691878-14-5 HCAPLUS

CN Benzamide, N,N-diethyl-4-[(S)-1-piperazinyl[3-(propylamino)phenyl]methyl]-
(9CI) (CA INDEX NAME)


Absolute stereochemistry. Rotation (+).



RN 691878-15-6 HCAPLUS


CN Benzamide, 4-[(S)-[3-(dipropylamino)phenyl]-1-piperazinylmethyl]-N,N-
diethyl- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




RN 691878-19-0 HCAPLUS
 CN Benzamide, 4-[(R)-[3-(dipropylamino)phenyl]-1-piperazinylmethyl]-N,N-diethyl- (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (-).




RN 691878-21-4 HCAPLUS
 CN Benzamide, N,N-diethyl-4-[(S)-1-piperazinyl[3-[[[4-(3-pyridinyl)phenyl]methyl]amino]phenyl]methyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (+).



RN 691878-23-6 HCAPLUS
 CN Benzamide, N,N-diethyl-4-[(S)-[3-[[[4-(1H-imidazol-1-yl)phenyl]methyl]amino]phenyl]-1-piperazinylmethyl]- (9CI) (CA INDEX NAME)


Absolute stereochemistry. Rotation (-).



RN 691878-25-8 HCAPLUS

CN Benzamide, N,N-diethyl-4-[(S)-1-piperazinyl]-3-[(2-quinolinylmethyl)amino]phenylmethyl- (9CI) (CA INDEX NAME)


Absolute stereochemistry. Rotation (+).



RN 691878-27-0 HCAPLUS


CN Benzamide, 4-[(R)-[3-[(2,2-diphenylethyl)amino]phenyl]-1-piperazinylmethyl]-N,N-diethyl- (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (+).




RN 691878-29-2 HCAPLUS
 CN Benzamide, 4-[(R)-[3-[[[4-(1,1-dimethylethyl)phenyl]methyl]amino]phenyl]-1-piperazinylmethyl]-N,N-diethyl- (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (-).




RN 691878-31-6 HCAPLUS
 CN Benzamide, N,N-diethyl-4-[(R)-[3-[[[4-phenoxyphenyl]methyl]amino]phenyl]-1-piperazinylmethyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (-).



RN 691878-33-8 HCAPLUS
 CN Benzamide, N,N-diethyl-4-[(R)-[4-(2-propenyl)-1-piperazinyl][3-(propylamino)phenyl]methyl]- (9CI) (CA INDEX NAME)


Absolute stereochemistry. Rotation (-).



RN 691878-36-1 HCAPLUS

CN Benzamide, N,N-diethyl-4-[(R)-[4-(2-methoxyethyl)-1-piperazinyl][3-(propylamino)phenyl]methyl]- (9CI) (CA INDEX NAME)


Absolute stereochemistry. Rotation (-).



RN 691878-37-2 HCAPLUS

CN Benzamide, N,N-diethyl-4-[(R)-[4-(3-methoxypropyl)-1-piperazinyl][3-(propylamino)phenyl]methyl]- (9CI) (CA INDEX NAME)


Absolute stereochemistry. Rotation (-).



RN 691878-40-7 HCAPLUS

CN Benzamide, 4-[(S)-[3-(cyclooctylamino)phenyl]-1-piperazinylmethyl]-N,N-diethyl- (9CI) (CA INDEX NAME)


Absolute stereochemistry. Rotation (+).



RN 691878-41-8 HCAPLUS

CN Benzenepropanamide, N-[3-[(S)-[4-[(diethylamino)carbonyl]phenyl]-1-piperazinylmethyl]phenyl]-, hydrochloride (10:29) (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (-).




●29/10 HCl

RN 691878-46-3 HCAPLUS

CN Benzamide, N,N-diethyl-4-[(R)-[4-(2-propenyl)-1-piperazinyl][3-[(2-thienylmethyl)amino]phenyl]methyl]- (9CI) (CA INDEX NAME)


Absolute stereochemistry. Rotation (-).



RN 691878-47-4 HCAPLUS

CN Benzamide, N,N-diethyl-4-[(R)-[4-(3-methyl-2-butenyl)-1-piperazinyl][3-[(2-thienylmethyl)amino]phenyl]methyl]- (9CI) (CA INDEX NAME)


Absolute stereochemistry. Rotation (-).



RN 691878-48-5 HCAPLUS

CN Benzamide, 4-[(R)-[4-(cyclopropylmethyl)-1-piperazinyl][3-[(2-thienylmethyl)amino]phenyl]methyl]-N,N-diethyl- (9CI) (CA INDEX NAME)


Absolute stereochemistry. Rotation (-).



RN 691878-49-6 HCAPLUS

CN Benzamide, 4-[(S)-[3-(cyclohexylamino)phenyl][4-(cyclopropylmethyl)-1-piperazinyl]methyl]-N,N-diethyl- (9CI) (CA INDEX NAME)


Absolute stereochemistry. Rotation (+).



RN 691878-50-9 HCAPLUS

CN Benzamide, 4-[(S)-[3-(cyclohexylamino)phenyl] (4-propyl-1-piperazinyl)methyl]-N,N-diethyl- (9CI) (CA INDEX NAME)


Absolute stereochemistry. Rotation (+).



RN 691878-51-0 HCAPLUS

CN Benzamide, 4-[(S)-[3-(cyclohexylamino)phenyl] (4-ethyl-1-piperazinyl)methyl]-N,N-diethyl- (9CI) (CA INDEX NAME)


Absolute stereochemistry. Rotation (+).



RN 691878-52-1 HCAPLUS

CN Benzamide, 4-[(S)-[3-(cyclohexylamino)phenyl][4-(2-propenyl)-1-piperazinyl]methyl]-N,N-diethyl- (9CI) (CA INDEX NAME)


Absolute stereochemistry. Rotation (+).



RN 691878-53-2 HCAPLUS

CN Benzamide, 4-[(S)-[3-[(cyclohexylcarbonyl)amino]phenyl]-1-piperazinylmethyl]-N,N-diethyl- (9CI) (CA INDEX NAME)


Absolute stereochemistry. Rotation (+).



RN 691878-54-3 HCAPLUS

CN Benzamide, 4-[(S)-[3-[(cyclohexylacetyl)amino]phenyl]-1-piperazinylmethyl]-N,N-diethyl- (9CI) (CA INDEX NAME)


Absolute stereochemistry. Rotation (+).



RN 691878-55-4 HCAPLUS


CN Benzamide, 4-[(S)-[3-(cyclohexylmethylamino)phenyl]-1-piperazinylmethyl]-N,N-diethyl- (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (+).




RN 691878-56-5 HCAPLUS
CN Benzamide, 4-[(R)-[3-(cyclohexylmethylamino)phenyl]-1-piperazinylmethyl]-
N,N-diethyl- (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (-).




RN 691878-57-6 HCAPLUS
CN Benzamide, N,N-diethyl-4-[(S)-[3-(ethylphenylamino)phenyl]-1-piperazinylmethyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 691878-58-7 HCAPLUS
CN Benzamide, N,N-diethyl-4-[(R)-[3-(methylphenylamino)phenyl]-1-piperazinylmethyl]- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 691878-59-8 HCAPLUS

CN Benzamide, N,N-diethyl-4-[(R)-[3-(ethylphenylamino)phenyl]-1-piperazinylmethyl]- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 691878-60-1 HCAPLUS


CN Benzamide, N,N-diethyl-4-[(S)-[3-[(2-fluorophenyl)amino]phenyl]-1-piperazinylmethyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




RN 691878-74-7 HCAPLUS
 CN Benzamide, 4-[(R)-[3-(cyclohexylamino)phenyl]-1-piperazinylmethyl]-N,N-diethyl- (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (-).




RN 691878-88-3 HCAPLUS
 CN Benzamide, N,N-diethyl-4-[(S)-[3-[(phenylsulfonyl)amino]phenyl]-1-piperazinylmethyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (+).



RN 691879-16-0 HCAPLUS
 CN Benzamide, N,N-diethyl-4-[(R)-[3-[(phenylsulfonyl)amino]phenyl]-1-piperazinylmethyl]- (9CI) (CA INDEX NAME)


Absolute stereochemistry. Rotation (-).



RN 692726-52-6 HCAPLUS

CN Benzamide, N,N-diethyl-4-[(R)-[3-[(2-fluorophenyl)amino]phenyl]-1-piperazinylmethyl]- (9CI) (CA INDEX NAME)


Absolute stereochemistry. Rotation (+).



RN 693259-12-0 HCAPLUS

CN Benzamide, N,N-diethyl-4-[(R)-[3-(methylphenylamino)phenyl]-1-piperazinylmethyl]-, hydrochloride (9CI) (CA INDEX NAME)

Absolute stereochemistry.




●x HCl

RN 693259-13-1 HCAPLUS

CN Benzamide, N,N-diethyl-4-[(S)-[3-[(2-fluorophenyl)amino]phenyl]-1-piperazinylmethyl]-, trihydrochloride (9CI) (CA INDEX NAME)

Absolute stereochemistry.




●3 HCl

RN 693259-14-2 HCAPLUS

CN Benzamide, 4-[(R)-[3-[(cyclopentylmethyl)amino]phenyl]-1-piperazinylmethyl]-N,N-diethyl- (9CI) (CA INDEX NAME)


Absolute stereochemistry. Rotation (-).



RN 693259-15-3 HCAPLUS

CN Benzamide, N,N-diethyl-4-[(S)-[3-(methylphenylamino)phenyl]-1-piperazinylmethyl]- (9CI) (CA INDEX NAME)


Absolute stereochemistry. Rotation (+).



RN 693259-16-4 HCAPLUS

CN Benzamide, N,N-diethyl-4-[(R)-[3-[(4-methylphenyl)amino]phenyl]-1-piperazinylmethyl]- (9CI) (CA INDEX NAME)


Absolute stereochemistry. Rotation (-).



RN 693259-17-5 HCAPLUS

CN Benzamide, N,N-diethyl-4-[(S)-[3-[(4-methylphenyl)amino]phenyl]-1-piperazinylmethyl]- (9CI) (CA INDEX NAME)


Absolute stereochemistry. Rotation (+).



RN 693259-18-6 HCAPLUS

CN Benzamide, 4-[(R)-[3-[(3-chlorophenyl)amino]phenyl]-1-piperazinylmethyl]-N,N-diethyl- (9CI) (CA INDEX NAME)


Absolute stereochemistry. Rotation (-).



RN 693259-19-7 HCAPLUS


CN Benzamide, 4-[(S)-[3-[(3-chlorophenyl)amino]phenyl]-1-piperazinylmethyl]-N,N-diethyl- (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (+).



RN 693259-20-0 HCAPLUS
 CN Benzenepropanamide, N-[3-[(S)-[4-[(diethylamino)carbonyl]phenyl]-1-piperazinylmethyl]phenyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (-).



L6 ANSWER 5 OF 5 HCAPLUS COPYRIGHT 2006 ACS on STN
 ACCESSION NUMBER: 2004:412930 HCAPLUS
 DOCUMENT NUMBER: 140:423707
 TITLE: Preparation of 4-(phenylpiperazinylmethyl)
)benzamides for treatment of pain or gastrointestinal
 disorders
 INVENTOR(S): Brown, William; Griffin, Andrew;
 Plobeck, Niklas; Walpole, Christopher
 PATENT ASSIGNEE(S): Astrazeneca AB, Swed.
 SOURCE: PCT Int. Appl., 45 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2004041800	A1	20040521	WO 2003-SE1703	20031105
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN,				

Priority
Date

CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE,
 GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK,
 LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ,
 OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM,
 TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW
 RW: BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ,
 BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE,
 ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK,
 TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG

CA 2502733	AA	20040521	CA 2003-2502733	20031105
AU 2003274884	A1	20040607	AU 2003-274884	20031105
EP 1562922	A1	20050817	EP 2003-759164	20031105

R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,
 IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK

BR 2003015998	A	20050920	BR 2003-15998	20031105
JP 2006507296	T2	20060302	JP 2004-549772	20031105
NO 2005002699	A	20050606	NO 2005-2699	20050606

PRIORITY APPLN. INFO.: SE 2002-3300 A 20021107
 WO 2003-SE1703 W 20031105

OTHER SOURCE(S): MARPAT 140:423707
 GI

* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT *

AB Title compds. I [wherein R1 = (un)substituted (hetero)aryl; R2 = H or (un)substituted alkyl, aryl, or heterocyclyl; or pharmaceutically acceptable salts, enantiomers, or mixts. thereof] were prepared as opioid δ receptor ligands. For example, 4-carboxybenzaldehyde was amidated with diethylamine using SOCl₂ in CH₂Cl₂ to give N,N-diethyl-4-formylbenzamide (90%). Coupling of the amide with 1-piperazinecarboxylic acid 1,1-dimethylethyl ester in the presence of benzotriazole in toluene, followed by reaction with 3-cyanophenylzinc iodide in THF, afforded 4-[(3-cyanophenyl)[4-[(diethylamino)carbonyl]phenyl]methyl]-1-piperazinecarboxylic acid 1,1-dimethylethyl ester. Deprotection of the piperazine (39%) using TFA in CH₂Cl₂ and alkylation (57%) with benzaldehyde in the presence of sodium triacetoxyborohydride in CH₂Cl₂ provided 3-[[4-[(diethylamino)carbonyl]phenyl](4-benzylpiperazin-1-yl)methyl]benzonitrile. Conversion of the nitrile to the amide with KOH in t-BuOH and chiral HPLC separation of the enantiomers gave (-)-II (99% optical purity). In binding assays using human 293S cells expressing cloned human opioid receptors and neomycin resistance, (-)-II proved to be an effective δ receptor ligand (IC₅₀ = 0.26 nM) and showed some activity toward the κ (IC₅₀ = 112 nM) and μ (IC₅₀ = 7.7 nM) receptors. In functional assays, (-)-II demonstrated δ receptor agonist activity by activating the binding of GTP to G-proteins. Thus, I and their pharmaceutical compns. are useful in therapy, in particular for the treatment of gastrointestinal disorders or the management of pain (no data).


IT **58287-77-7P**, N,N-Diethyl-4-formylbenzamide **77350-52-8P**, 4-Iodo-N,N-diethylbenzamide **691358-43-7P**, 4-[(3-Cyanophenyl)[4-[(diethylamino)carbonyl]phenyl]methyl]-1-piperazinecarboxylic acid 1,1-dimethylethyl ester **691358-44-8P**, 4-[(3-Cyanophenyl)piperazin-1-ylmethyl]-N,N-diethylbenzamide **691358-45-9P**, 3-[[4-[(Diethylamino)carbonyl]phenyl](4-benzylpiperazin-1-yl)methyl]benzonitrile **691358-46-0P**, 3-[[4-[(Diethylamino)carbonyl]phenyl](4-(2-furylmethyl)piperazin-1-yl)methyl]benzonitrile **691358-47-1P**, 3-[[4-

[(Diethylamino)carbonyl]phenyl]hydroxymethyl]benzoic acid methyl ester
691358-48-2P, 4-[[4-[(Diethylamino)carbonyl]phenyl][3-(methoxycarbonyl)phenyl]methyl]-1-piperazinecarboxylic acid
 1,1-dimethylethyl ester **691358-49-3P**, 3-[[4-[(Diethylamino)carbonyl]phenyl][4-(phenylmethyl)-1-piperazinyl]
]methyl]benzoic acid methyl ester **691358-50-6P**,
 3-[[4-[(Diethylamino)carbonyl]phenyl][4-(phenylmethyl)-1-piperazinyl]methyl]benzoic acid

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT
 (Reactant or reagent)
 (intermediate; preparation of (phenylpiperazinylmethyl)benzamides
 as δ receptor agonists for treatment of pain or gastrointestinal
 disorders)


RN 58287-77-7 HCAPLUS

CN Benzamide, N,N-diethyl-4-formyl- (9CI) (CA INDEX NAME)




RN 77350-52-8 HCAPLUS

CN Benzamide, N,N-diethyl-4-iodo- (9CI) (CA INDEX NAME)




RN 691358-43-7 HCAPLUS

CN 1-Piperazinecarboxylic acid, 4-[(3-cyanophenyl)[4-[(diethylamino)carbonyl]phenyl]methyl]-, 1,1-dimethylethyl ester (9CI)
 (CA INDEX NAME)




RN 691358-44-8 HCAPLUS

CN Benzamide, 4-[(3-cyanophenyl)-1-piperazinylmethyl]-N,N-diethyl- (9CI) (CA INDEX NAME)




RN 691358-45-9 HCAPLUS

CN Benzamide, 4-[(3-cyanophenyl)[4-(phenylmethyl)-1-piperazinyl]methyl]-N,N-diethyl- (9CI) (CA INDEX NAME)




RN 691358-46-0 HCAPLUS

CN Benzamide, 4-[(3-cyanophenyl)[4-(2-furanylmethyl)-1-piperazinyl]methyl]-N,N-diethyl- (9CI) (CA INDEX NAME)




RN 691358-47-1 HCAPLUS


CN Benzoic acid, 3-[[4-[(diethylamino)carbonyl]phenyl]hydroxymethyl]-, methyl ester (9CI) (CA INDEX NAME)




RN 691358-48-2 HCAPLUS
 CN 1-Piperazinecarboxylic acid, 4-[[4-[(diethylamino)carbonyl]phenyl][3-(methoxycarbonyl)phenyl]methyl]-, 1,1-dimethylethyl ester (9CI) (CA INDEX NAME)




RN 691358-49-3 HCAPLUS
 CN Benzoic acid, 3-[[4-[(diethylamino)carbonyl]phenyl][4-(phenylmethyl)-1-piperazinyl]methyl]-, methyl ester (9CI) (CA INDEX NAME)




RN 691358-50-6 HCAPLUS
 CN Benzoic acid, 3-[[4-[(diethylamino)carbonyl]phenyl][4-(phenylmethyl)-1-piperazinyl]methyl]- (9CI) (CA INDEX NAME)




IT 98-01-1, 2-Furaldehyde, reactions 100-52-7,
 Benzaldehyde, reactions 109-89-7, Diethylamine, reactions
 619-66-9, 4-Carboxybenzaldehyde 1711-02-0, 4-Iodobenzoyl
 chloride 52178-50-4, 3-Carbomethoxybenzaldehyde
 57260-71-6, 1-Piperazinecarboxylic acid 1,1-dimethylethyl ester
 288309-53-5, (3-Cyanophenyl)zinc iodide
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (preparation of (phenylpiperazinylmethyl)benzamides as δ
 receptor agonists for treatment of pain or gastrointestinal disorders)
 RN 98-01-1 HCAPLUS
 CN 2-Furancarboxaldehyde (9CI) (CA INDEX NAME)




RN 100-52-7 HCAPLUS
 CN Benzaldehyde (7CI, 8CI, 9CI) (CA INDEX NAME)




RN 109-89-7 HCAPLUS
 CN Ethanamine, N-ethyl- (9CI) (CA INDEX NAME)




RN 619-66-9 HCAPLUS
 CN Benzoic acid, 4-formyl- (9CI) (CA INDEX NAME)




RN 1711-02-0 HCAPLUS
 CN Benzoyl chloride, 4-iodo- (9CI) (CA INDEX NAME)




RN 52178-50-4 HCAPLUS
 CN Benzoic acid, 3-formyl-, methyl ester (9CI) (CA INDEX NAME)




RN 57260-71-6 HCAPLUS
 CN 1-Piperazinecarboxylic acid, 1,1-dimethylethyl ester (9CI) (CA INDEX NAME)



RN 288309-53-5 HCAPLUS
 CN Zinc, (3-cyanophenyl)iodo- (9CI) (CA INDEX NAME)




IT **691358-51-7P**, 3-[[4-[(Diethylamino)carbonyl]phenyl][4-benzylpiperazin-1-yl)methyl]benzamide **691358-56-2P**, 3-[[4-[(Diethylamino)carbonyl]phenyl][4-(2-furylmethyl)piperazin-1-yl)methyl]benzamide **691358-62-0P**, 3-[[4-[(Diethylamino)carbonyl]phenyl][4-(phenylmethyl)-1-piperazinyl]methyl]-N-methylbenzamide
 RL: PAC (Pharmacological activity); PEP (Physical, engineering or chemical process); PYP (Physical process); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); PROC (Process); USES (Uses)
 (δ receptor agonist; preparation of (**phenylpiperazinylmethyl**)benzamides as δ receptor agonists for treatment of pain or gastrointestinal disorders)
 RN 691358-51-7 HCAPLUS
 CN Benzamide, 4-[[3-(aminocarbonyl)phenyl][4-(phenylmethyl)-1-piperazinyl]methyl]-N,N-diethyl- (9CI) (CA INDEX NAME)




RN 691358-56-2 HCAPLUS

CN Benzamide, 4-[[3-(aminocarbonyl)phenyl][4-(2-furanylmethyl)-1-piperazinyl]methyl]-N,N-diethyl- (9CI) (CA INDEX NAME)



RN 691358-62-0 HCAPLUS

CN Benzamide, N,N-diethyl-4-[[3-[(methylamino)carbonyl]phenyl][4-(phenylmethyl)-1-piperazinyl]methyl]- (9CI) (CA INDEX NAME)



IT 691883-84-8P 691883-85-9P 691883-86-0P

691883-87-1P 691883-88-2P 691883-89-3P


RL: PAC (Pharmacological activity); PUR (Purification or recovery); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(δ receptor agonist; preparation of (phenylpiperazinylmethyl)benzamides as δ receptor agonists for treatment of pain or gastrointestinal disorders)

RN 691883-84-8 HCAPLUS

CN Benzamide, 4-[[3-(aminocarbonyl)phenyl][4-(phenylmethyl)-1-piperazinyl]methyl]-N,N-diethyl-, hydrochloride (5:16), (-)- (9CI) (CA INDEX NAME)

Rotation (-).




●16/5 HCl

RN 691883-85-9 HCAPLUS

CN Benzamide, 4-[[3-(aminocarbonyl)phenyl][4-(phenylmethyl)-1-piperazinyl]methyl]-N,N-diethyl-, hydrochloride (10:31), (+)- (9CI) (CA INDEX NAME)

Rotation (+).




●31/10 HCl

RN 691883-86-0 HCAPLUS

CN Benzamide, 4-[[3-(aminocarbonyl)phenyl][4-(2-furanylmethyl)-1-piperazinyl]methyl]-N,N-diethyl-, hydrochloride (5:13), (-)- (9CI) (CA INDEX NAME)

Rotation (-).




●13/5 HCl

RN 691883-87-1 HCAPLUS

CN Benzamide, 4-[[3-(aminocarbonyl)phenyl][4-(2-furanylmethyl)-1-piperazinyl]methyl]-N,N-diethyl-, hydrochloride (10:7), (+)- (9CI) (CA INDEX NAME)

Rotation (+).



●7/10 HCl

RN 691883-88-2 HCAPLUS

CN Benzamide, N,N-diethyl-4-[[3-[(methylamino)carbonyl]phenyl][4-(phenylmethyl)-1-piperazinyl]methyl]-, (-)-, trifluoroacetate (5:8) (9CI)


(CA INDEX NAME)

CM 1

CRN 691358-63-1

CMF C31 H38 N4 O2


Rotation (-).



CM 2

CRN 76-05-1

CMF C2 H F3 O2



RN 691883-89-3 HCAPLUS


CN Benzamide, N,N-diethyl-4-[[3-[(methylamino)carbonyl]phenyl][4-(phenylmethyl)-1-piperazinyl]methyl]-, (+)-, trifluoroacetate (5:8) (9CI)
(CA INDEX NAME)

CM 1

CRN 691358-64-2

CMF C31 H38 N4 O2


Rotation (+).



CM 2

CRN 76-05-1

CMF C2 H F3 O2



=> d ibib abs hitstr 112 1-10

L12 ANSWER 1 OF 10 USPATFULL on STN

ACCESSION NUMBER: 2006:34795 USPATFULL

TITLE: Diarylmethyl piperazine derivatives, preparations thereof and uses thereof

INVENTOR(S): Brown, William, Saint Laurent, CANADA
 Griffin, Andrew, Saint Laurent, CANADA
 Hudzik, Thomas, Wilmington, DE, UNITED STATES
 Maciag, Carla, Wilmington, DE, UNITED STATES
 Smagin, Gennady, Wilmington, DE, UNITED STATES
 Walpole, Christopher, Saint Laurent, CANADA

PATENT ASSIGNEE(S): AstraZeneca AB, Sodertalje, SWEDEN (non-U.S. corporation)

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 2006030569	A1	20060209
APPLICATION INFO.:	US 2005-243623	A1	20051005 (11)
RELATED APPLN. INFO.:	Continuation of Ser. No. WO 2005-SE1186, filed on 27 Jul 2005, UNKNOWN		

	NUMBER	DATE
PRIORITY INFORMATION:	SE 2004-1968	20040802
DOCUMENT TYPE:	Utility	
FILE SEGMENT:	APPLICATION	
LEGAL REPRESENTATIVE:	ASTRA ZENECA PHARMACEUTICALS LP, GLOBAL INTELLECTUAL PROPERTY, 1800 CONCORD PIKE, WILMINGTON, DE, 19850-5437, US	
NUMBER OF CLAIMS:	19	
EXEMPLARY CLAIM:	1	
LINE COUNT:	1196	

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB Compounds of general formula: ##STR1## as well as salts, enantiomers thereof and pharmaceutical compositions including the compounds are prepared. They are useful in therapy, in particular in the management of pain, depression and anxiety.


CAS INDEXING IS AVAILABLE FOR THIS PATENT.

IT 875647-78-2P 875647-79-3P 875647-80-6P
 875647-81-7P 875647-82-8P 875647-83-9P
 875647-84-0P

(claimed compound; preparation of benzyldiarylmethylpiperazines as δ -opioid agonists)

RN 875647-78-2 USPATFULL


CN Benzamide, 4-[(3-aminophenyl)[4-[(4-fluorophenyl)methyl]-1-piperazinyl]methyl]-N,N-diethyl- (9CI) (CA INDEX NAME)



RN 875647-79-3 USPATFULL


CN Benzamide, 4-[(3-aminophenyl)[4-[(3-fluorophenyl)methyl]-1-

piperazinyl)methyl]-N,N-diethyl- (9CI) (CA INDEX NAME)



RN 875647-80-6 USPATFULL


CN Benzamide, 4-[(3-aminophenyl)[4-[(2-fluorophenyl)methyl]-1-piperazinyl)methyl]-N,N-diethyl- (9CI) (CA INDEX NAME)



RN 875647-81-7 USPATFULL

CN Benzamide, 4-[(R)-(3-aminophenyl)[4-[(4-fluorophenyl)methyl]-1-piperazinyl)methyl]-N,N-diethyl- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 875647-82-8 USPATFULL

CN Benzamide, 4-[(R)-(3-aminophenyl)[4-[(3-fluorophenyl)methyl]-1-piperazinyl)methyl]-N,N-diethyl- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 875647-83-9 USPATFULL

CN Benzamide, 4-[(R)-(3-aminophenyl)[4-[(2-fluorophenyl)methyl]-1-piperazinyl]methyl]-N,N-diethyl- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 875647-84-0 USPATFULL

CN Benzamide, 4-[(S)-(3-aminophenyl)[4-[(4-fluorophenyl)methyl]-1-piperazinyl]methyl]-N,N-diethyl- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




IT 875647-86-2P 875647-87-3P 875647-88-4P
875647-89-5P

(preparation of benzyldiarylmethylpiperazines as δ -opioid agonists)

RN 875647-86-2 USPATFULL

CN Benzamide, 4-[(S)-(3-aminophenyl)[4-[(4-fluorophenyl)methyl]-1-piperazinyl]methyl]-N,N-diethyl-, hydrochloride (10:41) (9CI) (CA INDEX NAME)

Absolute stereochemistry.



●41/10 HCl

RN 875647-87-3 USPATFULL


CN Benzamide, 4-[(R)-(3-aminophenyl)[4-[(2-fluorophenyl)methyl]-1-piperazinyl]methyl]-N,N-diethyl-, trifluoroacetate (5:14) (9CI) (CA INDEX NAME)

CM 1

CRN 875647-83-9

CMF C29 H35 F N4 O


Absolute stereochemistry.



CM 2

CRN 76-05-1

CMF C2 H F3 O2




RN 875647-88-4 USPATFULL
 CN Benzamide, 4-[(R)-(3-aminophenyl)[4-[(3-fluorophenyl)methyl]-1-piperazinyl)methyl]-N,N-diethyl-, trifluoroacetate (10:27) (9CI) (CA INDEX NAME)

CM 1


CRN 875647-82-8
 CMF C29 H35 F N4 O

Absolute stereochemistry.




CM 2

CRN 76-05-1
 CMF C2 H F3 O2



RN 875647-89-5 USPATFULL
 CN Benzamide, 4-[(R)-(3-aminophenyl)[4-[(4-fluorophenyl)methyl]-1-piperazinyl)methyl]-N,N-diethyl-, hydrochloride (10:47) (9CI) (CA INDEX NAME)


Absolute stereochemistry.



●47/10 HCl


IT 691877-63-1P 875647-85-1P
 (preparation of benzyldiarylmethylpiperazines as δ -opioid agonists)
 RN 691877-63-1 USPATFULL
 CN Benzamide, N,N-diethyl-4-[(R)-(3-nitrophenyl)-1-piperazinylmethyl]- (9CI)
 (CA INDEX NAME)

Absolute stereochemistry. Rotation (-).



RN 875647-85-1 USPATFULL
 CN Benzamide, N,N-diethyl-4-[(R)-[4-[(4-fluorophenyl)methyl]-1-piperazinyl](3-nitrophenyl)methyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



L12 ANSWER 2 OF 10 USPATFULL on STN

ACCESSION NUMBER: 2005:292605 USPATFULL

TITLE: Compositions and methods for reducing respiratory depression and attendant side effects of mu opioid compounds

INVENTOR(S): Chang, Kwen-Jen, Chapel Hill, NC, UNITED STATES
 McNutt, Robert W. JR., Durham, NC, UNITED STATES
 Pettit, Hugh O., Cary, NC, UNITED STATES
 Bishop, Michael J., Durham, NC, UNITED STATES

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 2005255151	A1	20051117
APPLICATION INFO.:	US 2005-184762	A1	20050719 (11)
RELATED APPLN. INFO.:	Division of Ser. No. US 2001-974004, filed on 9 Oct 2001, GRANTED, Pat. No. US 6919350 Division of Ser. No. US 1999-352308, filed on 12 Jul 1999, GRANTED, Pat. No. US 6300332 Division of Ser. No. US 1997-887312, filed on 3 Jul 1997, GRANTED, Pat. No. US 5985880 Continuation-in-part of Ser. No. US 1996-658726, filed on 5 Jun 1996, GRANTED, Pat. No. US 5807858		

	NUMBER	DATE	
PRIORITY INFORMATION:	WO 1993-GB216	19930202	<--
	GB 1992-2238	19920203	<--
DOCUMENT TYPE:	Utility		
FILE SEGMENT:	APPLICATION		
LEGAL REPRESENTATIVE:	INTELLECTUAL PROPERTY / TECHNOLOGY LAW, PO BOX 14329, RESEARCH TRIANGLE PARK, NC, 27709, US		
NUMBER OF CLAIMS:	3		
EXEMPLARY CLAIM:	1		
NUMBER OF DRAWINGS:	2 Drawing Page(s)		
LINE COUNT:	2121		

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB A method of reducing, treating or preventing drug-mediated respiratory depression, muscle rigidity, or nausea/vomiting in an animal, incident to the administration to said animal of a mixed delta/mu opioid agonist or a respiratory depression-mediating drug, comprising administering to the animal receiving said drug an effective amount of a delta receptor agonist compound. Preferred examples of such delta receptor agonist compound include diarylmethyl piperazine compounds and diarylmethyl

piperidine compounds, and pharmaceutical compositions thereof, having utility in medical therapy for reducing respiratory depression associated with certain analgesics, such as mu opiates.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

IT 155766-20-4P 155766-21-5P 155773-61-8P


155806-56-7P 155893-51-9P

(preparation and analgesic activity of)

RN 155766-20-4 USPATFULL

CN Benzamide, 4-[[2,5-dimethyl-4-(2-propenyl)-1-piperazinyl][3-[(phenylsulfonyl)amino]phenyl]methyl]-N,N-diethyl-, dihydrochloride, [1(R*),2 α ,5 β]- (9CI) (CA INDEX NAME)

Relative stereochemistry.




●2 HCl

RN 155766-21-5 USPATFULL


CN Benzamide, 4-[[2,5-dimethyl-4-(2-propenyl)-1-piperazinyl][3-(formylamino)phenyl]methyl]-N,N-diethyl-, [1(R*),2 α ,5 β]- (9CI) (CA INDEX NAME)

Relative stereochemistry.



RN 155773-61-8 USPATFULL
 CN Benzamide, 4-[(3-aminophenyl)[2,5-dimethyl-4-(2-propenyl)-1-piperazinyl]methyl]-N,N-diethyl-, monohydrochloride, [1(S*),2 α ,5 β]- (9CI) (CA INDEX NAME)


Relative stereochemistry.



● HCl

RN 155806-56-7 USPATFULL
 CN Benzamide, 4-[[2,5-dimethyl-4-(2-propenyl)-1-piperazinyl][3-[(phenylsulfonyl)amino]phenyl]methyl]-N,N-diethyl-, [1(R*),2 α ,5 β]- (9CI) (CA INDEX NAME)


Relative stereochemistry.



RN 155893-51-9 USPATFULL

CN Benzamide, 4-[(3-aminophenyl)[2,5-dimethyl-4-(2-propenyl)-1-piperazinyl]methyl]-N,N-diethyl-, [1(S*),2 α ,5 β]- (9CI) (CA INDEX NAME)

Relative stereochemistry.




IT 155773-60-7P

(preparation and analgesic activity of, reaction of)

RN 155773-60-7 USPATFULL

CN Benzamide, 4-[(3-aminophenyl)[2,5-dimethyl-4-(2-propenyl)-1-piperazinyl]methyl]-N,N-diethyl-, [1(R*),2 α ,5 β]- (9CI) (CA INDEX NAME)

Relative stereochemistry.




IT 155893-49-5P 155893-50-8P

(preparation and reaction of, in preparation of analgesics)

RN 155893-49-5 USPATFULL

CN Benzamide, 4-[(3-aminophenyl)(2,5-dimethyl-1-piperazinyl)methyl]-N,N-diethyl-, [1(R*),2 α ,5 β]- (9CI) (CA INDEX NAME)


Relative stereochemistry.



RN 155893-50-8 USPATFULL

CN Benzamide, 4-[(3-aminophenyl)[2,5-dimethyl-4-(2-propenyl)-1-piperazinyl]methyl]-N,N-diethyl-, monohydrochloride, [1(R*),2 α ,5 β]- (9CI) (CA INDEX NAME)

Relative stereochemistry.



● HCl


IT 155836-61-6

(reaction of, in preparation of analgesics)

RN 155836-61-6 USPATFULL

CN Benzamide, 4-[[2,5-dimethyl-4-(2-propenyl)-1-piperazinyl][3-(formylamino)phenyl)methyl]-N,N-diethyl-, monohydrochloride, [1(R*),2 α ,5 β]- (9CI) (CA INDEX NAME)

Relative stereochemistry.



● HCl

L12 ANSWER 3 OF 10 USPATFULL on STN

ACCESSION NUMBER: 2004:190753 USPATFULL

TITLE: 4(Phenyl-piperazinyl-methyl) benzamide derivatives and their use for the treatment of pain anxiety or gastrointestinal disorders

INVENTOR(S): Brown, William, Montreal, CANADA
Walpole, Christopher, Montreal, CANADA
Plobeck, Niklas, Sodertalje, SWEDEN

	NUMBER	KIND	DATE	
PATENT INFORMATION:	US 2004147526	A1	20040729	<--
APPLICATION INFO.:	US 2003-477642	A1	20031113	(10)
	WO 2002-SE956		20020516	

	NUMBER	DATE	
PRIORITY INFORMATION:	SE 2001-1772	20010518	<--
	SE 2001-3820	20011115	<--
DOCUMENT TYPE:	Utility		
FILE SEGMENT:	APPLICATION		
LEGAL REPRESENTATIVE:	ASTRA ZENECA PHARMACEUTICALS LP, GLOBAL INTELLECTUAL PROPERTY, 1800 CONCORD PIKE, WILMINGTON, DE, 19850-5437		
NUMBER OF CLAIMS:	15		
EXEMPLARY CLAIM:	1		
LINE COUNT:	871		

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB Compounds of general formula I R.sup.1 is selected from any one of phenyl, pyridinyl, thienyl, furanyl, imidazolyl, pyrrolyl, triazolyl, thiazolyl, and pyridine N-oxide; R.sup.2 is independently selected from ethyl and isopropyl; R.sup.3 is independently selected from hydrogen and fluoro; R.sup.4 is independently selected from --OH, --NH.sub.2 and --NHSO.sub.2R.sup.5; and R.sup.5 is independently selected from hydrogen, --CF.sub.3 and C.sub.1-C.sub.6 alkyl, or salts thereof or separate enantiomers and salts thereof; where each R.sup.1 heteroaromatic ring may optionally and independently be further substituted by 1, 2 or 3 substituents selected from straight and branched C.sub.1-C.sub.6 alkyl, NO.sub.2, CF.sub.3, C.sub.1-C.sub.6 alkoxy, chloro, fluoro, bromo, and iodo. The substitutions on the heteroaromatic ring may take place in any position on said ring systems; are disclosed and claimed in the present application, as well as separate enantiomers of the compounds and salts and pharmaceutical compositions comprising the novel compounds and their use in therapy, in particular in the management of pain, anxiety and functional gastrointestinal disorders.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

IT **477191-61-0P**

(preparation of 4-(phenyl-piperazinyl-methyl)-benzamides as δ opioid receptor agonists for treating pain, anxiety or gastrointestinal disorders)


RN 477191-61-0 USPATFULL

CN Benzamide, 4-[(3-aminophenyl)[4-(phenylmethyl)-1-piperazinyl]methyl]-N,N-diethyl-, tris(trifluoroacetate) (9CI) (CA INDEX NAME)

CM 1

CRN 477191-60-9


CMF C29 H36 N4 O



CM 2

CRN 76-05-1

CMF C2 H F3 O2




IT 477191-49-4P 477191-50-7P 477191-51-8P
 477191-52-9P 477191-53-0P 477191-54-1P
 477191-55-2P 477191-56-3P 477191-57-4P
 477191-58-5P 477191-59-6P 477191-60-9P
 477191-62-1P 477191-63-2P 477191-64-3P
 477191-65-4P

(preparation of 4-(phenyl-piperazinyl-methyl)-benzamides as δ opioid
 receptor agonists for treating pain, anxiety or gastrointestinal
 disorders)

RN 477191-49-4 USPATFULL

CN Benzamide, 4-[(3-aminophenyl)[4-(phenylmethyl)-1-piperazinyl]methyl]-N,N-
 bis(1-methylethyl)- (9CI) (CA INDEX NAME)




RN 477191-50-7 USPATFULL

CN Benzamide, 4-[(3-aminophenyl)[4-(phenylmethyl)-1-piperazinyl]methyl]-N,N-
 bis(1-methylethyl)-, mono(trifluoroacetate) (9CI) (CA INDEX NAME)

CM 1

CRN 477191-49-4


CMF C31 H40 N4 O



CM 2


CRN 76-05-1

CMF C2 H F3 O2



RN 477191-51-8 USPATFULL

CN Benzamide, 4-[(3-aminophenyl)[4-(3-thienylmethyl)-1-piperazinyl]methyl]-
N,N-bis(1-methylethyl)- (9CI) (CA INDEX NAME)




RN 477191-52-9 USPATFULL

CN Benzamide, 4-[(3-aminophenyl)[4-(3-thienylmethyl)-1-piperazinyl]methyl]-
N,N-bis(1-methylethyl)-, bis(trifluoroacetate) (9CI) (CA INDEX NAME)

CM 1

CRN 477191-51-8


CMF C29 H38 N4 O S



CM 2


CRN 76-05-1

CMF C2 H F3 O2



RN 477191-53-0 USPATFULL

CN Benzamide, 4-[(3-aminophenyl)[4-(1H-imidazol-2-ylmethyl)-1-piperazinyl]methyl]-N,N-bis(1-methylethyl)- (9CI) (CA INDEX NAME)



RN 477191-54-1 USPATFULL


CN Benzamide, 4-[(3-aminophenyl)[4-(1H-imidazol-2-ylmethyl)-1-

piperazinyl)methyl]-N,N-bis(1-methylethyl)-, bis(trifluoroacetate) (9CI)
(CA INDEX NAME)

CM 1

CRN 477191-53-0


CMF C28 H38 N6 O



CM 2


CRN 76-05-1

CMF C2 H F3 O2



RN 477191-55-2 USPATFULL

CN Benzamide, N,N-bis(1-methylethyl)-4-[[3-[(methylsulfonyl)amino]phenyl][4-(3-thienylmethyl)-1-piperazinyl)methyl]- (9CI) (CA INDEX NAME)




RN 477191-56-3 USPATFULL

CN Benzamide, N,N-bis(1-methylethyl)-4-[[3-[(methanesulfonyl)amino]phenyl][4-(3-thienylmethyl)-1-piperazinyl]methyl]-, bis(trifluoroacetate) (9CI)
(CA INDEX NAME)

CM 1

CRN 477191-55-2


CMF C30 H40 N4 O3 S2



CM 2


CRN 76-05-1

CMF C2 H F3 O2




RN 477191-57-4 USPATFULL

CN Benzamide, 4-[[4-(3-furanylmethyl)-1-piperazinyl][3-
[(methylsulfonyl)amino]phenyl]methyl]-N,N-bis(1-methylethyl)-,
hydrochloride (5:14) (9CI) (CA INDEX NAME)



RN 477191-58-5 USPATFULL


CN Benzamide, 4-[(3-aminophenyl)[4-(3-thienylmethyl)-1-piperazinyl]methyl]-
N,N-diethyl- (9CI) (CA INDEX NAME)



RN 477191-59-6 USPATFULL
CN Benzamide, 4-[(3-aminophenyl)[4-(3-thienylmethyl)-1-piperazinyl]methyl]-
N,N-diethyl-, tris(trifluoroacetate) (9CI) (CA INDEX NAME)


CM 1

CRN 477191-58-5
CMF C27 H34 N4 O S




CM 2


CRN 76-05-1
 CMF C2 H F3 O2



RN 477191-60-9 USPATFULL
 CN Benzamide, 4-[(3-aminophenyl)[4-(phenylmethyl)-1-piperazinyl]methyl]-N,N-diethyl- (9CI) (CA INDEX NAME)




RN 477191-62-1 USPATFULL
 CN Benzamide, N,N-diethyl-4-[[3-[(methylsulfonyl)amino]phenyl][4-(phenylmethyl)-1-piperazinyl]methyl]- (9CI) (CA INDEX NAME)



RN 477191-63-2 USPATFULL
 CN Benzamide, N,N-diethyl-4-[[3-[(methylsulfonyl)amino]phenyl][4-(phenylmethyl)-1-piperazinyl]methyl]-, bis(trifluoroacetate) (9CI) (CA INDEX NAME)

CM 1


CRN 477191-62-1
 CMF C30 H38 N4 O3 S



CM 2


CRN 76-05-1

CMF C2 H F3 O2



RN 477191-64-3 USPATFULL


CN Benzamide, N,N-bis(1-methylethyl)-4-[[3-[(methanesulfonyl)amino]phenyl][4-(3-thienylmethyl)-1-piperazinyl]methyl]-, dihydrochloride (9CI) (CA INDEX NAME)



RN 477191-65-4 USPATFULL

CN Benzamide, 4-[[4-(3-furanylmethyl)-1-piperazinyl][3-[(methanesulfonyl)amino]phenyl]methyl]-N,N-bis(1-methylethyl)- (9CI) (CA

INDEX NAME)




IT 477191-80-3

(preparation of 4-(phenyl-piperazinyl-methyl)-benzamides as δ opioid receptor agonists for treating pain, anxiety or gastrointestinal disorders)

RN 477191-80-3 USPATFULL

CN Benzamide, N,N-diethyl-4-[(3-nitrophenyl)-1-piperazinylmethyl]- (9CI) (CA INDEX NAME)




IT 477191-72-3P 477191-73-4P 477191-74-5P
477191-75-6P 477191-76-7P 477191-77-8P
477191-78-9P

(preparation of 4-(phenyl-piperazinyl-methyl)-benzamides as δ opioid receptor agonists for treating pain, anxiety or gastrointestinal disorders)


RN 477191-72-3 USPATFULL

CN Benzamide, N,N-bis(1-methylethyl)-4-[(3-nitrophenyl)-1-piperazinylmethyl]- (9CI) (CA INDEX NAME)




RN 477191-73-4 USPATFULL

CN 1-Piperazinecarboxylic acid, 4-[[4-[[bis(1-methylethyl)amino]carbonyl]phenyl](3-nitrophenyl)methyl]-, 1,1-dimethylethyl ester (9CI) (CA INDEX NAME)




RN 477191-74-5 USPATFULL

CN Benzamide, N,N-bis(1-methylethyl)-4-[[3-[(methanesulfonyl)amino]phenyl]-1-piperazinylmethyl]- (9CI) (CA INDEX NAME)




RN 477191-75-6 USPATFULL

CN 1-Piperazinecarboxylic acid, 4-[(3-aminophenyl)[4-[[bis(1-methylethyl)amino]carbonyl]phenyl)methyl]-, 1,1-dimethylethyl ester (9CI) (CA INDEX NAME)




RN 477191-76-7 USPATFULL

CN 1-Piperazinecarboxylic acid, 4-[[4-[[bis(1-methylethyl)amino]carbonyl]phenyl][3-[(methylsulfonyl)amino]phenyl]methyl]-, 1,1-dimethylethyl ester (9CI) (CA INDEX NAME)




RN 477191-77-8 USPATFULL

CN Benzamide, N,N-diethyl-4-[(3-nitrophenyl)[4-(3-thienylmethyl)-1-piperazinyl]methyl]- (9CI) (CA INDEX NAME)



RN 477191-78-9 USPATFULL

CN Benzamide, N,N-diethyl-4-[(3-nitrophenyl)[4-(phenylmethyl)-1-piperazinyl]methyl]- (9CI) (CA INDEX NAME)



L12 ANSWER 4 OF 10 USPATFULL on STN

ACCESSION NUMBER: 2002:206661 USPATFULL

TITLE: Compositions and Methods for Reducing Respiratory Depression and Attendant Side Effects of Mu Opioid Compounds

INVENTOR(S): Chang , Kwen-Jen , Mr., 104 Sierra Drive, Chapel Hill, NC, UNITED STATES 27514
 McNutt , Robert W. , Jr. , Mr., 700 Morreene Road, Apt. B-9, Durham, NC, UNITED STATES 27705
 Pettit , Hugh O. , Mr., 106 Wyatts Pond Lane, Cary, NC, UNITED STATES 27513
 Bishop , Michael J. , Mr., 235 Lochridge Drive, Durham, NC, UNITED STATES 27713
 PATENT ASSIGNEE(S): Ardent Pharmaceuticals, Inc., RTP, 27709-2278, UNITED STATES, NC (U.S. individual)

	NUMBER	KIND	DATE	
PATENT INFORMATION:	US 2002111359	A1	20020815	<--
	US 6919350	B2	20050719	
APPLICATION INFO.:	US 2001-974004	A1	20011009	(9)
RELATED APPLN. INFO.:	Division of Ser. No. US 1999-9352308, filed on 12 Jul 1999, GRANTED, Pat. No. US 6300332 Division of Ser. No. US 1997-8887312, filed on 3 Jul 1997, GRANTED, Pat. No. US 5985880 Continuation-in-part of Ser. No. US 1996-8658726, filed on 5 Jun 1996, GRANTED, Pat. No. US 5807858			
DOCUMENT TYPE:	Utility			
FILE SEGMENT:	APPLICATION			
LEGAL REPRESENTATIVE:	Steven J. Hultquist, Marianne Fuierer, 6320 Quadrangle, Suite 110, Chapel Hill, NC, 27517			
NUMBER OF CLAIMS:	29			
EXEMPLARY CLAIM:	1			
NUMBER OF DRAWINGS:	2 Drawing Page(s)			
LINE COUNT:	2405			
CAS INDEXING IS AVAILABLE FOR THIS PATENT.				
AB	Abstract of Disclosure			

A method of reducing, treating or preventing drug-mediated respiratory depression, muscle rigidity, or nausea/vomiting in an animal, incident to the administration to said animal of a mixed delta/mu opioid agonist or a respiratory depression-mediating drug, comprising administering to the animal receiving said drug an effective amount of a delta receptor agonist compound. Preferred examples of such delta receptor agonist compound include diarylmethyl piperazine compounds and diarylmethyl piperidine compounds, and pharmaceutical compositions thereof, having

utility in medical therapy for reducing respiratory depression associated with certain analgesics, such as mu opiates.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

IT 155766-20-4P 155766-21-5P 155773-61-8P


155806-56-7P 155893-51-9P

(preparation and analgesic activity of)

RN 155766-20-4 USPATFULL

CN Benzamide, 4-[[2,5-dimethyl-4-(2-propenyl)-1-piperazinyl][3-[(phenylsulfonyl)amino]phenyl)methyl]-N,N-diethyl-, dihydrochloride, [1(R*),2 α ,5 β]- (9CI) (CA INDEX NAME)

Relative stereochemistry.




● 2 HCl

RN 155766-21-5 USPATFULL


CN Benzamide, 4-[[2,5-dimethyl-4-(2-propenyl)-1-piperazinyl][3-(formylamino)phenyl)methyl]-N,N-diethyl-, [1(R*),2 α ,5 β]- (9CI) (CA INDEX NAME)

Relative stereochemistry.



RN 155773-61-8 USPATFULL
 CN Benzamide, 4-[(3-aminophenyl)[2,5-dimethyl-4-(2-propenyl)-1-piperazinyl]methyl]-N,N-diethyl-, monohydrochloride, [1(S*),2 α ,5 β]- (9CI) (CA INDEX NAME)


Relative stereochemistry.



● HCl


RN 155806-56-7 USPATFULL
 CN Benzamide, 4-[[2,5-dimethyl-4-(2-propenyl)-1-piperazinyl][3-[(phenylsulfonyl)amino]phenyl]methyl]-N,N-diethyl-, [1(R*),2 α ,5 β]- (9CI) (CA INDEX NAME)

Relative stereochemistry.



RN 155893-51-9 USPATFULL
 CN Benzamide, 4-[(3-aminophenyl)[2,5-dimethyl-4-(2-propenyl)-1-piperazinyl]methyl]-N,N-diethyl-, [1(S*),2 α ,5 β]- (9CI) (CA INDEX NAME)

Relative stereochemistry.




IT 155773-60-7P

(preparation and analgesic activity of, reaction of)

RN 155773-60-7 USPATFULL

CN Benzamide, 4-[(3-aminophenyl)[2,5-dimethyl-4-(2-propenyl)-1-piperazinyl]methyl]-N,N-diethyl-, [1(R*),2 α ,5 β]- (9CI) (CA INDEX NAME)

Relative stereochemistry.




IT 155893-49-5P 155893-50-8P

(preparation and reaction of, in preparation of analgesics)

RN 155893-49-5 USPATFULL


CN Benzamide, 4-[(3-aminophenyl)(2,5-dimethyl-1-piperazinyl)methyl]-N,N-diethyl-, [1(R*),2 α ,5 β]- (9CI) (CA INDEX NAME)

Relative stereochemistry.



RN 155893-50-8 USPATFULL
 CN Benzamide, 4-[(3-aminophenyl)[2,5-dimethyl-4-(2-propenyl)-1-piperazinyl]methyl]-N,N-diethyl-, monohydrochloride, [1(R*),2 α ,5 β]- (9CI) (CA INDEX NAME)


Relative stereochemistry.



● HCl

IT 155836-61-6
 (reaction of, in preparation of analgesics)
 RN 155836-61-6 USPATFULL
 CN Benzamide, 4-[[2,5-dimethyl-4-(2-propenyl)-1-piperazinyl][3-(formylamino)phenyl]methyl]-N,N-diethyl-, monohydrochloride, [1(R*),2 α ,5 β]- (9CI) (CA INDEX NAME)

Relative stereochemistry.



● HCl

L12 ANSWER 5 OF 10 USPATFULL on STN

ACCESSION NUMBER: 2001:173586 USPATFULL

TITLE: Methods for reducing respiratory depression and attendant side effects of mu opioid compounds

INVENTOR(S): Chang, Kwen-Jen, Chapel Hill, NC, United States

McNutt, Jr., Robert W., Durham, NC, United States

Pettit, Hugh O., Cary, NC, United States

Bishop, Michael J., Durham, NC, United States

PATENT ASSIGNEE(S): Delta Pharmaceuticals, Inc., Durham, NC, United States (U.S. corporation)

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 6300332	B1	20011009
APPLICATION INFO.:	US 1999-352308		19990712 (9)
RELATED APPLN. INFO.:	Division of Ser. No. US 1997-887312, filed on 3 Jul 1997, now patented, Pat. No. US 5985880, issued on 16 Nov 1999 Continuation-in-part of Ser. No. US 1996-658726, filed on 5 Jun 1996, now patented, Pat. No. US 5807858, issued on 15 Sep 1998		
DOCUMENT TYPE:	Utility		
FILE SEGMENT:	GRANTED		
PRIMARY EXAMINER:	Jarvis, William R. A.		
LEGAL REPRESENTATIVE:	Hultquist, Steven J.		
NUMBER OF CLAIMS:	25		
EXEMPLARY CLAIM:	1		
NUMBER OF DRAWINGS:	2 Drawing Figure(s); 2 Drawing Page(s)		
LINE COUNT:	2505		

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB A method of reducing, treating or preventing drug-mediated respiratory depression, muscle rigidity, or nausea/vomiting in an animal, incident to the administration to said animal of a mixed delta/mu opioid agonist or a respiratory depression-mediating drug, comprising administering to the animal receiving said drug an effective amount of a delta receptor agonist compound.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

IT 155766-20-4P 155766-21-5P 155773-61-8P


155806-56-7P 155893-51-9P

(preparation and analgesic activity of)

RN 155766-20-4 USPATFULL

CN Benzamide, 4-[[[2,5-dimethyl-4-(2-propenyl)-1-piperazinyl][3-
 [(phenylsulfonyl)amino]phenyl)methyl]-N,N-diethyl-, dihydrochloride,
 [1(R*),2 α ,5 β]- (9CI) (CA INDEX NAME)

Relative stereochemistry.




● 2 HCl

RN 155766-21-5 USPATFULL

CN Benzamide, 4-[[[2,5-dimethyl-4-(2-propenyl)-1-piperazinyl][3-
 (formylamino)phenyl)methyl]-N,N-diethyl-, [1(R*),2 α ,5 β]-
 (9CI) (CA INDEX NAME)

Relative stereochemistry.




RN 155773-61-8 USPATFULL

CN Benzamide, 4-[(3-aminophenyl)[2,5-dimethyl-4-(2-propenyl)-1-

piperazinyl)methyl]-N,N-diethyl-, monohydrochloride,
[1(S*),2 α ,5 β]- (9CI) (CA INDEX NAME)

Relative stereochemistry.




● HCl

RN 155806-56-7 USPATFULL

CN Benzamide, 4-[[2,5-dimethyl-4-(2-propenyl)-1-piperazinyl][3-
[(phenylsulfonyl)amino]phenyl)methyl]-N,N-diethyl-,
[1(R*),2 α ,5 β]- (9CI) (CA INDEX NAME)


Relative stereochemistry.



RN 155893-51-9 USPATFULL

CN Benzamide, 4-[(3-aminophenyl)[2,5-dimethyl-4-(2-propenyl)-1-
piperazinyl)methyl]-N,N-diethyl-, [1(S*),2 α ,5 β]- (9CI) (CA
INDEX NAME)

Relative stereochemistry.




IT 155773-60-7P

(preparation and analgesic activity of, reaction of)

RN 155773-60-7 USPATFULL

CN Benzamide, 4-[(3-aminophenyl)[2,5-dimethyl-4-(2-propenyl)-1-piperazinyl]methyl]-N,N-diethyl-, [1(R*),2 α ,5 β]- (9CI) (CA INDEX NAME)

Relative stereochemistry.




IT 155893-49-5P 155893-50-8P

(preparation and reaction of, in preparation of analgesics)

RN 155893-49-5 USPATFULL

CN Benzamide, 4-[(3-aminophenyl)(2,5-dimethyl-1-piperazinyl)methyl]-N,N-diethyl-, [1(R*),2 α ,5 β]- (9CI) (CA INDEX NAME)


Relative stereochemistry.



RN 155893-50-8 USPATFULL

CN Benzamide, 4-[(3-aminophenyl)[2,5-dimethyl-4-(2-propenyl)-1-piperazinyl]methyl]-N,N-diethyl-, monohydrochloride, [1(R*),2 α ,5 β]- (9CI) (CA INDEX NAME)

Relative stereochemistry.



● HCl


IT 155836-61-6

(reaction of, in preparation of analgesics)

RN 155836-61-6 USPATFULL

CN Benzamide, 4-[[2,5-dimethyl-4-(2-propenyl)-1-piperazinyl][3-(formylamino)phenyl]methyl]-N,N-diethyl-, monohydrochloride, [1(R*),2 α ,5 β]- (9CI) (CA INDEX NAME)

Relative stereochemistry.



● HCl

L12 ANSWER 6 OF 10 USPATFULL on STN

ACCESSION NUMBER: 1998:162513 USPATFULL

TITLE: Opioid diarylmethylpiperazines and piperidines

INVENTOR(S): Chang, Kwen-Jen, Chapel Hill, NC, United States

Boswell, Grady Evan, Cary, NC, United States

Bubacz, Dulce Garrido, Cary, NC, United States

Collins, Mark Allan, Raleigh, NC, United States

Davis, Ann Otstot, Raleigh, NC, United States

McNutt, Jr., Robert Walton, Durham, NC, United States

PATENT ASSIGNEE(S): Delta Pharmaceuticals, Inc., Chapel Hill, NC, United States (U.S. corporation)

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 5854249		19981229
APPLICATION INFO.:	US 1997-864667		19970528 (8)
RELATED APPLN. INFO.:	Division of Ser. No. US 1994-284445, filed on 3 Aug 1994, now patented, Pat. No. US 5658908		

	NUMBER	DATE
PRIORITY INFORMATION:	GB 1992-2238	19920203
DOCUMENT TYPE:	Utility	
FILE SEGMENT:	Granted	
PRIMARY EXAMINER:	Shah, Mukund J.	
ASSISTANT EXAMINER:	Ngo, Tamthom T.	
LEGAL REPRESENTATIVE:	Hultquist, Steven J., Barrett, William A.	
NUMBER OF CLAIMS:	22	
EXEMPLARY CLAIM:	1	
LINE COUNT:	5761	

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB A method for the treatment or prophylaxis of one or more conditions or disorders selected from the group consisting of physiological pain, diarrhea, urinary incontinence, mental illness, drug and alcohol addiction/overdose, lung edema, depressioysema, apnea, cognitive disorders and gastrointestinal disorders, comprising administration to a

subject in need of such treatment or prophylaxis, of a diarylmethylpiperazine or piperidine opioid compound.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

IT 155766-20-4P 155766-21-5P 155773-61-8P


155806-56-7P 155893-51-9P

(preparation and analgesic activity of)

RN 155766-20-4 USPATFULL

CN Benzamide, 4-[[2,5-dimethyl-4-(2-propenyl)-1-piperazinyl][3-[(phenylsulfonyl)amino]phenyl]methyl]-N,N-diethyl-, dihydrochloride, [1(R*),2 α ,5 β]- (9CI) (CA INDEX NAME)

Relative stereochemistry.




●2 HCl

RN 155766-21-5 USPATFULL


CN Benzamide, 4-[[2,5-dimethyl-4-(2-propenyl)-1-piperazinyl][3-(formylamino)phenyl]methyl]-N,N-diethyl-, [1(R*),2 α ,5 β]- (9CI) (CA INDEX NAME)

Relative stereochemistry.



RN 155773-61-8 USPATFULL
 CN Benzamide, 4-[(3-aminophenyl)[2,5-dimethyl-4-(2-propenyl)-1-piperazinyl]methyl]-N,N-diethyl-, monohydrochloride, [1(S*),2 α ,5 β]- (9CI) (CA INDEX NAME)


Relative stereochemistry.



● HCl


RN 155806-56-7 USPATFULL
 CN Benzamide, 4-[[2,5-dimethyl-4-(2-propenyl)-1-piperazinyl][3-[(phenylsulfonyl)amino]phenyl]methyl]-N,N-diethyl-, [1(R*),2 α ,5 β]- (9CI) (CA INDEX NAME)

Relative stereochemistry.



RN 155893-51-9 USPATFULL
 CN Benzamide, 4-[(3-aminophenyl)[2,5-dimethyl-4-(2-propenyl)-1-piperazinyl]methyl]-N,N-diethyl-, [1(S*),2 α ,5 β]- (9CI) (CA INDEX NAME)

Relative stereochemistry.




IT 155773-60-7P

(preparation and analgesic activity of, reaction of)

RN 155773-60-7 USPATFULL

CN Benzamide, 4-[(3-aminophenyl)[2,5-dimethyl-4-(2-propenyl)-1-piperazinyl]methyl]-N,N-diethyl-, [1(R*),2 α ,5 β]- (9CI) (CA INDEX NAME)

Relative stereochemistry.




IT 155893-49-5P 155893-50-8P

(preparation and reaction of, in preparation of analgesics)

RN 155893-49-5 USPATFULL


CN Benzamide, 4-[(3-aminophenyl)(2,5-dimethyl-1-piperazinyl)methyl]-N,N-diethyl-, [1(R*),2 α ,5 β]- (9CI) (CA INDEX NAME)

Relative stereochemistry.



RN 155893-50-8 USPATFULL
 CN Benzamide, 4-[(3-aminophenyl)[2,5-dimethyl-4-(2-propenyl)-1-piperazinyl]methyl]-N,N-diethyl-, monohydrochloride, [1(R*),2 α ,5 β]- (9CI) (CA INDEX NAME)


Relative stereochemistry.



● HCl

IT 155836-61-6
 (reaction of, in preparation of analgesics)
 RN 155836-61-6 USPATFULL
 CN Benzamide, 4-[[2,5-dimethyl-4-(2-propenyl)-1-piperazinyl][3-(formylamino)phenyl]methyl]-N,N-diethyl-, monohydrochloride, [1(R*),2 α ,5 β]- (9CI) (CA INDEX NAME)

Relative stereochemistry.



● HCl

L12 ANSWER 7 OF 10 USPATFULL on STN

ACCESSION NUMBER: 1998:111938 USPATFULL

TITLE: Compositions and methods for reducing respiratory depression

INVENTOR(S): Chang, Kwen-Jen, Chapel Hill, NC, United States
McNutt, Jr., Robert W., Durham, NC, United States
Pettit, Hugh O., Cary, NC, United States
Bishop, Michael J., Durham, NC, United States

PATENT ASSIGNEE(S): Delta Pharmaceutical, Inc., Chapel Hill, NC, United States (U.S. corporation)

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 5807858		19980915
APPLICATION INFO.:	US 1996-658726		19960605 (8)
DOCUMENT TYPE:	Utility		
FILE SEGMENT:	Granted		
PRIMARY EXAMINER:	Rotman, Alan L.		
ASSISTANT EXAMINER:	Aulakm, Charanjit S.		
LEGAL REPRESENTATIVE:	Hultquist, Steven J., Barrett, William A.		
NUMBER OF CLAIMS:	46		
EXEMPLARY CLAIM:	1		
LINE COUNT:	2203		

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB The present invention relates to, inter alia, methods and compositions for reducing, treating or preventing respiratory depression in an animal, using a compound of the formula: ##STR1## wherein: Ar, G, Z, R.sup.2, R.sup.3, R.sup.4, R.sup.5, R.sup.6 and R.sup.7 are as defined in specification,

or a pharmaceutically acceptable ester or salt thereof.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.


IT 155766-20-4P 155766-21-5P 155773-61-8P

155806-56-7P 155893-51-9P

(preparation and analgesic activity of)

RN 155766-20-4 USPATFULL
 CN Benzamide, 4-[[2,5-dimethyl-4-(2-propenyl)-1-piperazinyl][3-
 [(phenylsulfonyl)amino]phenyl)methyl]-N,N-diethyl-, dihydrochloride,
 [1(R*),2 α ,5 β]- (9CI) (CA INDEX NAME)


Relative stereochemistry.



● 2 HCl


RN 155766-21-5 USPATFULL
 CN Benzamide, 4-[[2,5-dimethyl-4-(2-propenyl)-1-piperazinyl][3-
 (formylamino)phenyl)methyl]-N,N-diethyl-, [1(R*),2 α ,5 β]-
 (9CI) (CA INDEX NAME)

Relative stereochemistry.



RN 155773-61-8 USPATFULL
 CN Benzamide, 4-[(3-aminophenyl)[2,5-dimethyl-4-(2-propenyl)-1-
 piperazinyl)methyl]-N,N-diethyl-, monohydrochloride,
 [1(S*),2 α ,5 β]- (9CI) (CA INDEX NAME)


Relative stereochemistry.



● HCl


RN 155806-56-7 USPATFULL
 CN Benzamide, 4-[[2,5-dimethyl-4-(2-propenyl)-1-piperazinyl][3-
 [(phenylsulfonyl)amino]phenyl]methyl]-N,N-diethyl-,
 [1(R*),2 α ,5 β]- (9CI) (CA INDEX NAME)

Relative stereochemistry.



RN 155893-51-9 USPATFULL
 CN Benzamide, 4-[(3-aminophenyl)[2,5-dimethyl-4-(2-propenyl)-1-
 piperazinyl]methyl]-N,N-diethyl-, [1(S*),2 α ,5 β]- (9CI) (CA
 INDEX NAME)

Relative stereochemistry.




IT 155773-60-7P

(preparation and analgesic activity of, reaction of)

RN 155773-60-7 USPATFULL

CN Benzamide, 4-[(3-aminophenyl)[2,5-dimethyl-4-(2-propenyl)-1-piperazinyl]methyl]-N,N-diethyl-, [1(R*),2 α ,5 β]- (9CI) (CA INDEX NAME)

Relative stereochemistry.




IT 155893-49-5P 155893-50-8P

(preparation and reaction of, in preparation of analgesics)

RN 155893-49-5 USPATFULL


CN Benzamide, 4-[(3-aminophenyl)(2,5-dimethyl-1-piperazinyl)methyl]-N,N-diethyl-, [1(R*),2 α ,5 β]- (9CI) (CA INDEX NAME)

Relative stereochemistry.



RN 155893-50-8 USPATFULL
 CN Benzamide, 4-[(3-aminophenyl)[2,5-dimethyl-4-(2-propenyl)-1-piperazinyl]methyl]-N,N-diethyl-, monohydrochloride, [1(R*),2 α ,5 β]- (9CI) (CA INDEX NAME)


Relative stereochemistry.



● HCl

IT 155836-61-6
 (reaction of, in preparation of analgesics)
 RN 155836-61-6 USPATFULL
 CN Benzamide, 4-[[2,5-dimethyl-4-(2-propenyl)-1-piperazinyl][3-(formylamino)phenyl]methyl]-N,N-diethyl-, monohydrochloride, [1(R*),2 α ,5 β]- (9CI) (CA INDEX NAME)

Relative stereochemistry.



● HCl

L12 ANSWER 8 OF 10 USPATFULL on STN

ACCESSION NUMBER: 97:73615 USPATFULL

TITLE: Opioid diarylmethylpiperazines and piperdines

INVENTOR(S): Chang, Kwen-Jen, Chapel Hill, NC, United States

Boswell, Grady Evan, Cary, NC, United States

Bubacz, Dulce Garrido, Cary, NC, United States

Collins, Mark Allan, Raleigh, NC, United States

Davis, Ann Otstot, Raleigh, NC, United States

McNutt, Jr., Robert Walton, Durham, NC, United States

PATENT ASSIGNEE(S): Delta Pharmaceuticals, Inc., Chapel Hill, NC, United States (U.S. corporation)

	NUMBER	KIND	DATE	
PATENT INFORMATION:	US 5658908		19970819	<--
	WO 9315062		19930805	<--
APPLICATION INFO.:	US 1994-284445		19940803	(8)
	WO 1993-GB216		19930202	
			19940803	PCT 371 date
			19940803	PCT 102(e) date

	NUMBER	DATE	
PRIORITY INFORMATION:	GB 1992-2238	19920203	<--
DOCUMENT TYPE:	Utility		
FILE SEGMENT:	Granted		
PRIMARY EXAMINER:	Bernhardt, Emily		
LEGAL REPRESENTATIVE:	Hultquist, Steven J.		
NUMBER OF CLAIMS:	26		
EXEMPLARY CLAIM:	1,19,21,22		
LINE COUNT:	5991		

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB Diarylmethylpiperazine compounds having utility as receptor-binding species, e.g., for mediating analgesia, and for combatting drug addiction, alcohol addiction, and drug overdose. The compounds may be administered orally, rectally, topically, nasally, ophthalmically, or

parenterally (subcutaneously, intramuscularly, and intravenously), for veterinary and human use, and include delta receptor and mu receptor binding species.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.


IT 155766-20-4P 155766-21-5P 155773-61-8P
155806-56-7P 155893-51-9P

(preparation and analgesic activity of)

RN 155766-20-4 USPATFULL

CN Benzamide, 4-[[2,5-dimethyl-4-(2-propenyl)-1-piperazinyl][3-
[(phenylsulfonyl)amino]phenyl]methyl]-N,N-diethyl-, dihydrochloride,
[1(R*),2 α ,5 β]- (9CI) (CA INDEX NAME)

Relative stereochemistry.




●2 HCl

RN 155766-21-5 USPATFULL


CN Benzamide, 4-[[2,5-dimethyl-4-(2-propenyl)-1-piperazinyl][3-
(formylamino)phenyl]methyl]-N,N-diethyl-, [1(R*),2 α ,5 β]-
(9CI) (CA INDEX NAME)

Relative stereochemistry.



RN 155773-61-8 USPATFULL
 CN Benzamide, 4-[(3-aminophenyl)[2,5-dimethyl-4-(2-propenyl)-1-piperazinyl]methyl]-N,N-diethyl-, monohydrochloride, [1(S*), 2α, 5β]- (9CI) (CA INDEX NAME)


Relative stereochemistry.



● HCl

RN 155806-56-7 USPATFULL
 CN Benzamide, 4-[(2,5-dimethyl-4-(2-propenyl)-1-piperazinyl)[3-[(phenylsulfonyl)amino]phenyl]methyl]-N,N-diethyl-, [1(R*), 2α, 5β]- (9CI) (CA INDEX NAME)


Relative stereochemistry.



RN 155893-51-9 USPATFULL

CN Benzamide, 4-[(3-aminophenyl)[2,5-dimethyl-4-(2-propenyl)-1-piperazinyl]methyl]-N,N-diethyl-, [1(S*),2 α ,5 β]- (9CI) (CA INDEX NAME)

Relative stereochemistry.




IT 155773-60-7P

(preparation and analgesic activity of, reaction of)

RN 155773-60-7 USPATFULL

CN Benzamide, 4-[(3-aminophenyl)[2,5-dimethyl-4-(2-propenyl)-1-piperazinyl]methyl]-N,N-diethyl-, [1(R*),2 α ,5 β]- (9CI) (CA INDEX NAME)

Relative stereochemistry.




IT 155893-49-5P 155893-50-8P

(preparation and reaction of, in preparation of analgesics)

RN 155893-49-5 USPATFULL

CN Benzamide, 4-[(3-aminophenyl)(2,5-dimethyl-1-piperazinyl)methyl]-N,N-diethyl-, [1(R*),2 α ,5 β]- (9CI) (CA INDEX NAME)


Relative stereochemistry.



RN 155893-50-8 USPATFULL

CN Benzamide, 4-[(3-aminophenyl)[2,5-dimethyl-4-(2-propenyl)-1-piperazinyl)methyl]-N,N-diethyl-, monohydrochloride, [1(R*),2 α ,5 β]- (9CI) (CA INDEX NAME)

Relative stereochemistry.



● HCl


IT 155836-61-6

(reaction of, in preparation of analgesics)

RN 155836-61-6 USPATFULL

CN Benzamide, 4-[[[2,5-dimethyl-4-(2-propenyl)-1-piperazinyl][3-(formylamino)phenyl]methyl]-N,N-diethyl-, monohydrochloride, [1(R*),2 α ,5 β]- (9CI) (CA INDEX NAME)

Relative stereochemistry.



● HCl

L12 ANSWER 9 OF 10 USPATFULL on STN

ACCESSION NUMBER: 96:104120 USPATFULL

TITLE: Opioid compounds and methods for making therefor

INVENTOR(S): Chang, Kwen-Jen, Chapel Hill, NC, United States

Bubacz, Dulce G., Cary, NC, United States

PATENT ASSIGNEE(S):

Davis, Ann O., Raleigh, NC, United States
 McNutt, Jr., Robert W., Durham, NC, United States
 Bishop, Michael J., Durham, NC, United States
 Delta Pharmaceuticals, Inc., Chapel Hill, NC, United States (U.S. corporation)

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 5574159		19961112
APPLICATION INFO.:	US 1995-430677		19950428 (8)
RELATED APPLN. INFO.:	Division of Ser. No. US 1994-285313, filed on 3 Aug 1994 which is a continuation-in-part of Ser. No. US 1993-169879, filed on 17 Dec 1993, now abandoned which is a continuation-in-part of Ser. No. US 1993-98333, filed on 30 Jul 1993, now abandoned		

	NUMBER	DATE
PRIORITY INFORMATION:	GB 1992-2238	19920203
DOCUMENT TYPE:	Utility	
FILE SEGMENT:	Granted	
PRIMARY EXAMINER:	Ford, John M.	
ASSISTANT EXAMINER:	Sripada, Pavanaram K.	
LEGAL REPRESENTATIVE:	Hultquist, Steven J.	
NUMBER OF CLAIMS:	8	
EXEMPLARY CLAIM:	1	
LINE COUNT:	3425	

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB Diarylmethyl piperazine compounds having utility as exogenous receptor combinant species for binding with receptors such as delta, mu, sigma, and/or kappa receptors are disclosed. Compounds of the invention may be employed as conjugates in agonist/antagonist pairs for transductional monitoring and assays of neurotransmitter function, and also variously exhibit therapeutic utility, including mediating analgesia, and possessing utility for the treatment of diarrhea, urinary incontinence, mental illness, drug and alcohol addiction/overdose, lung edema, depression, asthma, emphysema, cough, and apnea, respiratory depression, cognitive disorders, emesis and gastrointestinal disorders.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.


IT 155766-20-4P 155766-21-5P 155773-61-8P
 155806-56-7P 155893-51-9P

(preparation and analgesic activity of)

RN 155766-20-4 USPATFULL

CN Benzamide, 4-[[2,5-dimethyl-4-(2-propenyl)-1-piperazinyl][3-[(phenylsulfonyl)amino]phenyl]methyl]-N,N-diethyl-, dihydrochloride, [1(R*),2 α ,5 β]- (9CI) (CA INDEX NAME)


Relative stereochemistry.



● 2 HCl


RN 155766-21-5 USPATFULL
 CN Benzamide, 4-[[2,5-dimethyl-4-(2-propenyl)-1-piperazinyl][3-(formylamino)phenyl]methyl]-N,N-diethyl-, [1(R*),2 α ,5 β]- (9CI) (CA INDEX NAME)

Relative stereochemistry.



RN 155773-61-8 USPATFULL
 CN Benzamide, 4-[(3-aminophenyl)[2,5-dimethyl-4-(2-propenyl)-1-piperazinyl]methyl]-N,N-diethyl-, monohydrochloride, [1(S*),2 α ,5 β]- (9CI) (CA INDEX NAME)


Relative stereochemistry.



● HCl


RN 155806-56-7 USPATFULL
 CN Benzamide, 4-[[2,5-dimethyl-4-(2-propenyl)-1-piperazinyl][3-
 [(phenylsulfonyl)amino]phenyl]methyl]-N,N-diethyl-,
 [1(R*),2 α ,5 β]- (9CI) (CA INDEX NAME)

Relative stereochemistry.



RN 155893-51-9 USPATFULL
 CN Benzamide, 4-[(3-aminophenyl)[2,5-dimethyl-4-(2-propenyl)-1-
 piperazinyl]methyl]-N,N-diethyl-, [1(S*),2 α ,5 β]- (9CI) (CA
 INDEX NAME)

Relative stereochemistry.




IT 155773-60-7p

(preparation and analgesic activity of, reaction of)

RN 155773-60-7 USPTAFULL

CN Benzamide, 4-[(3-aminophenyl)[2,5-dimethyl-4-(2-propenyl)-1-piperazinyl]methyl]-N,N-diethyl-, [1(R*),2 α ,5 β]- (9CI) (CA INDEX NAME)

Relative stereochemistry.




IT 155893-49-5P 155893-50-8P

(preparation and reaction of, in preparation of analgesics)

RN 155893-49-5 USPTAFULL


CN Benzamide, 4-[(3-aminophenyl)(2,5-dimethyl-1-piperazinyl)methyl]-N,N-diethyl-, [1(R*),2 α ,5 β]- (9CI) (CA INDEX NAME)

Relative stereochemistry.



RN 155893-50-8 USPATFULL
 CN Benzamide, 4-[(3-aminophenyl)[2,5-dimethyl-4-(2-propenyl)-1-piperazinylmethyl]-N,N-diethyl-, monohydrochloride, [1(R*),2 α ,5 β]- (9CI) (CA INDEX NAME)


Relative stereochemistry.



● HCl

IT 155836-61-6
 (reaction of, in preparation of analgesics)
 RN 155836-61-6 USPATFULL
 CN Benzamide, 4-[[2,5-dimethyl-4-(2-propenyl)-1-piperazinyl][3-(formylamino)phenylmethyl]-N,N-diethyl-, monohydrochloride, [1(R*),2 α ,5 β]- (9CI) (CA INDEX NAME)

Relative stereochemistry.



● HCl

L12 ANSWER 10 OF 10 USPATFULL on STN

ACCESSION NUMBER: 96:80271 USPATFULL

TITLE: Opioid compounds and methods for using same

INVENTOR(S): Chang, Kwen-Jen, Chapel Hill, NC, United States

Bubacz, Dulce G., Cary, NC, United States

Davis, Ann O., Raleigh, NC, United States

McNutt, Jr., Robert W., Durham, NC, United States

Bishop, Michael J., Durham, NC, United States

PATENT ASSIGNEE(S): Delta Pharmaceuticals, Inc., Chapel Hill, NC, United States (U.S. corporation)

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 5552404		19960903
APPLICATION INFO.:	US 1995-431377		19950428 (8)
RELATED APPLN. INFO.:	Division of Ser. No. US 1994-285313, filed on 3 Aug 1994 which is a continuation-in-part of Ser. No. US 1993-169879, filed on 17 Dec 1993, now abandoned which is a continuation-in-part of Ser. No. US 1993-98333, filed on 30 Jul 1993, now abandoned		
DOCUMENT TYPE:	Utility		
FILE SEGMENT:	Granted		
PRIMARY EXAMINER:	Cintins, Marianne M.		
ASSISTANT EXAMINER:	MacMillan, Keith		
LEGAL REPRESENTATIVE:	Hultquist, Steven J.		
NUMBER OF CLAIMS:	20		
EXEMPLARY CLAIM:	1		
LINE COUNT:	3527		

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB Diarylmethyl piperazine compounds having utility as exogenous receptor combinant species for binding with receptors such as delta, mu, sigma, and/or kappa receptors are disclosed. Compounds of the invention may be employed as conjugates in agonist/antagonist pairs for transductional monitoring and assays of neurotransmitter function, and also variously exhibit therapeutic utility, including mediating analgesia, and possessing utility for the treatment of diarrhea, urinary incontinence,

mental illness, drug and alcohol addiction/overdose, lung edema, depression, asthma, emphysema, cough, and apnea, respiratory depression, cognitive disorders, emesis and gastrointestinal disorders.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

IT 155766-20-4P 155766-21-5P 155773-61-8P


155806-56-7P 155893-51-9P

(preparation and analgesic activity of)

RN 155766-20-4 USPATFULL

CN Benzamide, 4-[[2,5-dimethyl-4-(2-propenyl)-1-piperazinyl][3-[(phenylsulfonyl)amino]phenyl]methyl]-N,N-diethyl-, dihydrochloride, [1(R*),2 α ,5 β]- (9CI) (CA INDEX NAME)

Relative stereochemistry.




● 2 HCl

RN 155766-21-5 USPATFULL


CN Benzamide, 4-[[2,5-dimethyl-4-(2-propenyl)-1-piperazinyl][3-(formylamino)phenyl]methyl]-N,N-diethyl-, [1(R*),2 α ,5 β]- (9CI) (CA INDEX NAME)

Relative stereochemistry.



RN 155773-61-8 USPATFULL
 CN Benzamide, 4-[(3-aminophenyl)[2,5-dimethyl-4-(2-propenyl)-1-piperazinyl]methyl]-N,N-diethyl-, monohydrochloride, [1(S*), 2α, 5β]- (9CI) (CA INDEX NAME)


Relative stereochemistry.



● HCl

RN 155806-56-7 USPATFULL
 CN Benzamide, 4-[[2,5-dimethyl-4-(2-propenyl)-1-piperazinyl][3-[(phenylsulfonyl)amino]phenyl]methyl]-N,N-diethyl-, [1(R*), 2α, 5β]- (9CI) (CA INDEX NAME)


Relative stereochemistry.



RN 155893-51-9 USPATFULL

CN Benzamide, 4-[(3-aminophenyl)[2,5-dimethyl-4-(2-propenyl)-1-piperazinyl]methyl]-N,N-diethyl-, [1(S*),2 α ,5 β]- (9CI) (CA INDEX NAME)

Relative stereochemistry.




IT 155773-60-7P

(preparation and analgesic activity of, reaction of)

RN 155773-60-7 USPATFULL

CN Benzamide, 4-[(3-aminophenyl)[2,5-dimethyl-4-(2-propenyl)-1-piperazinyl]methyl]-N,N-diethyl-, [1(R*),2 α ,5 β]- (9CI) (CA INDEX NAME)

Relative stereochemistry.




IT 155893-49-5P 155893-50-8P

(preparation and reaction of, in preparation of analgesics)

RN 155893-49-5 USPATFULL

CN Benzamide, 4-[(3-aminophenyl)(2,5-dimethyl-1-piperazinyl)methyl]-N,N-diethyl-, [1(R*),2 α ,5 β]- (9CI) (CA INDEX NAME)


Relative stereochemistry.



RN 155893-50-8 USPATFULL

CN Benzamide, 4-[(3-aminophenyl)[2,5-dimethyl-4-(2-propenyl)-1-piperazinyl)methyl]-N,N-diethyl-, monohydrochloride, [1(R*),2 α ,5 β]- (9CI) (CA INDEX NAME)

Relative stereochemistry.



● HCl


IT 155836-61-6

(reaction of, in preparation of analgesics)

RN 155836-61-6 USPTAFULL


CN Benzamide, 4-[[2,5-dimethyl-4-(2-propenyl)-1-piperazinyl][3-(formylamino)phenyl]methyl]-N,N-diethyl-, monohydrochloride, [1(R*),2 α ,5 β]- (9CI) (CA INDEX NAME)

Relative stereochemistry.




● HCl

=> d que stat 111
L7 STR



N @20




VPA 20-1/2/3 U
VPA 22-13/14/15 U
NODE ATTRIBUTES:
DEFAULT MLEVEL IS ATOM
DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:
RING(S) ARE ISOLATED OR EMBEDDED
NUMBER OF NODES IS 24


STEREO ATTRIBUTES: NONE

L9 309 SEA FILE=REGISTRY SSS FUL L7
L10 6 SEA FILE=HCAPLUS ABB=ON L9
L11 6 SEA FILE=HCAPLUS ABB=ON L10 AND (PRD<20050504 OR PD<20050504)

=> d que stat 112
L7 STR



N @20



VPA 20-1/2/3 U
VPA 22-13/14/15 U
NODE ATTRIBUTES:
DEFAULT MLEVEL IS ATOM
DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:

RING(S) ARE ISOLATED OR EMBEDDED
NUMBER OF NODES IS 24

STEREO ATTRIBUTES: NONE

L9 309 SEA FILE=REGISTRY SSS FUL L7

L10 6 SEA FILE=HCAPLUS ABB=ON L9

L12 10 SEA FILE=USPATFULL ABB=ON L10 AND (PRD<20050504 OR PD<20050504
)